

# 2010-2011 Tobacco Use Supplement to the Current Population Survey

**PUBLIC RELEASE VERSION- 2-10-12 fml 11-5-11 \_8-12-11\_5-11-11\_ 6-8-10**

**OMB #: 0925-0368 Expires: March 31, 2013**

**Public reporting burden for this collection of information is estimated to average 9 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: NIH Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0368). Do not return the completed form to this address.**

## 2010-2011 Tobacco Use Supplement to the Current Population Survey-

All skip paths should go to the next item unless otherwise instructed. All item questions accept don't know and refused as response. All <D> and <R> pre-codes are to be blind coded. Use blind coded <L> to go to END.

Allow Proxy interviews on the 4th callback.

**PRESUP      This month we would also like to ask about your thoughts and experiences concerning tobacco use. I need to ask each individual, age 18 years old and older, these questions.**

ENTER (1) TO PROCEED

ENTER (I) FOR IMPORTANCE OF RESPONDING

□□

**H\_SUPP\_I      Your answers to the tobacco questions are very important. The National Institutes of Health, CDC, and other researchers will use this information to measure changes in tobacco use and to help with policy-making and services.**

PRESS ENTER TO CONTINUE

NXTPR      ENTER LINE NO: □□□ FOR [fill name]  
  
**I (also) need to talk with [fill name/READ LIST OF NEEDED PERSONS]. Is he/she at home now/Are either of them at home now/Are any of them at home now)?**

NO ONE ELIGIBLE, SKIP TO FIN (F10)  
IF ANSWERED, JUMP FORWARD (F3)

GET SELF RESPONSE ONLY.  
WHEN DONE, F10 FOR CALLBACKS  
CALLBACK #: [fill number]

(CNTRL-R) Respondent Refused for  
someone else

ENTER LINE NUMBER FOR  
INTERVIEW: □□□

### HOUSEHOLD ROSTER

LN	Q	NEED NAME	M	AGE
01		(Person 1)		
02		(Person 2)		
03		(Person 3)		

NXTPR3      DO NOT ASK, INTERVIEWER CHECK ITEM

(ONLY TAKE A PROXY IF THIS IS THE 4TH CALLBACK, THE PERSON WILL NOT RETURN BEFORE CLOSEOUT OR THE HOUSEHOLD IS GETTING IRRITATED.)

Is this a Self or Proxy response?

- (1) Self [GO TO A1]
- (2) Proxy

|\_|

EPROXY DO NOT ASK

POSSIBLE ERROR  
You have picked PROXY for [fill name] even though [fill name] is the current respondent.

Are you currently talking to [fill name]?

- (1) Yes, SELF interview [GO TO A1]
- (2) No

|\_|

NXTPER5 DO NOT ASK  
ENTER LINE NUMBER OF  
CURRENT RESPONDENT

|\_|\_|

HOUSEHOLD ROSTER

LN	NAME
01	(Person 1)
02	(Person 2)
03	(Person 3)

---

**SECTION A. SCREENING FOR EVER/EVERY DAY/SOMEDAY SMOKING**

---

**A1 (Have/Has) (you/name) smoked at least 100 cigarettes in (your/his/her) entire life?**

[FR NOTE: 100 CIGARETTES = APPROXIMATELY 5 PACKS]

- (1) YES [GO TO A2]
- (2) NO [GO TO SECTION J]

[ DON'T KNOW OR REFUSED: GO TO SECTION J]

**A2 How old (were/was) (you/name) when (you/he/she) first started smoking cigarettes FAIRLY REGULARLY?**

ENTER (0) IF NEVER SMOKED REGULARLY: [GO TO A2a]

ENTER AGE (01 – AGE): [GO TO A2b]

\_\_|\_|

[Age >5: GO TO A2b ]  
[AGE Less Than OR Equal 5: GO TO A2v]  
[DON'T KNOW OR REFUSED: GO TO A2b]

**A2v I have recorded that (you/name) (were/was) [fill entry A2] years old when (you/he/she) started smoking cigarettes fairly regularly. Is that correct?**

- (1) Yes [GO TO A2b]
- (2) No [GO TO A2]

\_\_|

**A2a You said that (you/name) never smoked regularly. How old (were/was) (you/name) the first time (you/he/she) smoked part or all of a cigarette?**

ENTER AGE (01 – AGE): [SKIP TO A2c]

\_\_|\_|

[[Age >5: GO TO A2c ]  
[AGE Less Than OR Equal 5: GO TO A2av]

DON'T KNOW OR REFUSED: **GO TO A2c]**

**A2av** I have recorded that (you/name) (were/was) [fill entry A2a years old) when your first smoked part or all of a cigarette. Is that correct?

(1) Yes [GO TO A2c]

(2) No [GO TO A2a]

|\_ |

**A2b** In what state or country did (you/name) live when (you/he/she) started to smoke cigarettes fairly regularly?

**FR:** Spell out the state or country name entering a text of at most 40 characters

\_\_\_\_\_ **ENTER STATE/COUNTRY NAME GO TO A3**

[DON'T KNOW OR REFUSED: **GO TO A3]**

**A2c** In what state or country did (you/name) live when (you/he/she) **FIRST** smoked part or all of a cigarette?

**FR:** Spell out the state or country name entering a text of at most 40 characters

\_\_\_\_\_ **ENTER STATE/COUNTRY NAME GO TO A3**

[DON'T KNOW OR REFUSED: **GO TO A3]**

**A3** (Do/Does) (you/name) now smoke cigarettes every day, some days, or not at all?

(1) Every day

(2) Some days

(3) Not at all

|\_ |

**BOX 1**

**IF SELF RESPONDENT AND:**

A3 = (1) EVERY DAY SMOKERS ≡ GO TO SECTION B

A3 = (2) SOME-DAY SMOKERS ≡ GO TO SECTION C

A3 = (3) NOT-AT-ALL SMOKERS ≡ GO TO SECTION H

A3 = D, R ≡ GO TO SECTION J

**IF PROXY RESPONDENT ≡ GO TO SECTION J**

[ ]

---

**SECTION B. EVERY-DAY SMOKER HISTORY/CONSUMPTION SERIES**

---

**B1 On the average, about how many cigarettes do you now smoke each day?**

(ONE PACK USUALLY EQUALS 20 CIGARETTES. IF CONVERTING PACKS TO CIGARETTES, ALWAYS VERIFY CALCULATION WITH RESPONDENT.)

ENTER NUMBER OF CIGARETTES PER DAY  
(1-99)

[ ] [ ] [ ] [ ]

BOX 2

IF B1 = D, R ≡ GO TO B1a  
IF B1 > 40 ≡ GO TO B1v  
ELSE ≡ GO TO B2

**B1a Would you say that, on average, you now smoke more or less than 20 cigarettes each day?**

- (1) MORE
- (2) LESS
- (3) ABOUT 20 (ONE PACK)

[ ]

[1, 2, OR 3: GO TO B2]  
[Don't Know OR Refused: GO TO B2]

**B1v I have recorded that on the average, you now smoke [fill entry B1] cigarettes a day. Is that correct?**

- (1) Yes [GO TO B2]
- (2) No [GO TO B1]

[ ]

[Don't Know OR Refused: GO TO B2]

**B2 Do you usually smoke menthol or non-menthol cigarettes?**

- (1) Menthol
- (2) Non-menthol
- (3) NO USUAL TYPE

[ ]

[1 or 2: GO TO B2a]  
[ 3, Don't Know OR Refused: GO TO B5a]

**B2a** For each of the following, please tell me whether it's a reason you usually smoke menthol/non-menthol { fill menthol if B2 = 1; fill non-menthol if B2 = 2 } cigarettes? ----Please answer "yes" or "no" for each.

- (1) Yes
- (2) No

**B2a1**  They are less harmful than non-menthol /menthol {fill non-menthol if B2 = 1; fill menthol if B2 = 2—**NOTE:** Opposite of the fill in the question stem B2a} cigarettes

**B2a2**  They have a better flavor than non-menthol /menthol {fill non-menthol if B2 = 1; fill menthol if B2 = 2—**NOTE:** Opposite of the fill in the question stem B2a} cigarettes

**B2a3**  They are less harsh on your THROAT than non-menthol /menthol {fill non-menthol if B2 = 1; fill menthol if B2 = 2—**NOTE:** Opposite of the fill in the question stem B2a} cigarettes

**B2a4**  They are less harsh on your CHEST than non-menthol/menthol { fill non-menthol if B2 = 1; fill menthol if B2 = 2 --- **NOTE:** Opposite of the fill in the question stem B2a} cigarettes

**B5a** How soon after you wake up do you typically smoke your first cigarette of the day?

(IF NECESSARY, FR ASK FOR BEST ANSWER IN MINUTES OR HOURS)  
ENTER (0) IF RESPONDENT INSISTS IT VARIES

**B5anum** ENTER NUMBER (0 – 90)

**B5aunt** ENTER UNIT REPORTED  
 (1) Minutes (2) Hours

BOX 5

IF B5a = 0, D, R ≡ GO TO B5b  
ELSE GO TO **B5c**

**B5b** Would you say you smoke your first cigarette of the day within the first 30 minutes?

- (1) Yes
- (2) No
- (3) Varies— DO NOT READ

[1, 2, OR 3: GO TO B5c]  
[Don't know OR Refused: GO TO B5c]

**B5c Do you sometimes awaken during the night to have a cigarette?**

- (1) Yes
- (2) No

**DO NOT READ**

- (3) DON'T SLEEP AT NIGHT
- (4) USE SOME OTHER TOBACCO PRODUCT WHEN I AWAKEN DURING THE NIGHT

**BA6a Do you USUALLY BUY your own cigarettes?**

- (1) Yes [GO TO B6a]
- (2) No [GO TO B6e1]

[Don't Know OR Refused: GO TO B6e1]

**B6a Do you USUALLY buy your cigarettes by the pack or by the carton? [FR: A CARTON HAS 10 PACKS]**

- (1) Pack
- (2) Carton
- (3) Buy both packs and cartons

BOX 6
IF B6a = (1) <u>OR</u> (3) <u>OR</u> D, R ≡GO TO B6b
IF B6a = (2) ≡GO TO B6c

**B6b/B6b2 What price did you pay for the LAST PACK of cigarettes you bought? Please report the cost after using discounts or coupons.**

[FR: Enter "dollars" per pack on the first screen (B6b) and enter "cents" per pack on the next screen (B6b2)]

B6b \$ \_\_\_\_ ( 0-99 )  
B6b2 . \_\_\_\_ (0-99)

[GO TO B6d]

[Don't know OR Refused: GO TO B6d]



**B6c/B6c2** What price did you pay for the LAST CARTON of cigarettes you bought? Please report the cost after using discounts or coupons.

[FR: Enter “dollars” per carton on the first screen (B6c) and enter “cents” per carton on the next screen (B6c2)]

B6c \$ \_\_\_ \_ \_ ( 0-999 )

B6c2 . \_\_\_ \_ (0-99)

[GO TO B6d]

[Don't know OR Refused: GO TO B6d]

**B6d/B6d1** Did you buy your LAST (fill appropriate term here from B6a responses (=1 or 3 or DK or R fill “pack”; =2 fill “carton”) of cigarettes in (fill respondent's state of residence) or in some other state?

- (1) In respondent's state of residence
- (2) In some other state (including DC)

(3) BOUGHT SOME OTHER WAY (Internet, other country, ...)

**BOX 7**

**IF B6d1 =1 ENTER AUTOMATICALLY RESPONDENT'S STATE OF RESIDENCE IN B6d2 ≡GO TO B6d3**

**ELSE IF B6d = 2 ≡ GO TO B6d2**

**ELSE IF B6d=3 → GO TO B6dOTH**

**ELSE ≡GO TO B6e1**

**B6d2** In what other state did you buy your LAST (fill appropriate term here from B6a responses (=1, 3, DK or R fill “pack”; =2 fill “carton”) of cigarettes?

[\_][\_] ENTER STATE ABBREVIATION –TEXT OF AT MOST 2 CHARACTERS -  
**GO TO B6d3**

**B6d3** Did you buy your LAST (fill appropriate term here from B6a responses (=1, 3, DK or R fill “pack”; =2 fill “carton”) of cigarettes from an Indian reservation?

- (1) YES- GO TO B6e1
- (2) NO GO TO B6e1

[DON'T KNOW OR REFUSED, GO TO B6e1]

**B6dOTH** Was the “Other Way” in which you purchased your LAST (fill appropriate term here from B6a responses (=1, 3, DK or R fill “pack”; =2 fill “carton”) of cigarettes:

**READ the FIRST THREE CHOICES**

- (1) In a foreign country or a duty-free shop
- (2) From an Indian reservation OR
- (3) By mail-order, phone or internet

(4) Some other way (NOT READ)

|\_\_|

If B6dOTH = (4)--some other way, GO TO B6dSPC; ELSE GO TO B6e1

**B6dSPC: Please specify the “Other Way”**

\_\_\_\_\_ [ FR: ENTER A TEXT OF AT MOST 60 CHARACTERS]

**B6e1** In the LAST 2 months, have you bought or traded for any SINGLE or INDIVIDUAL cigarettes?

[FR: RESPONDENT MAY REFER TO IT AS A “LOOSIE” OR “LOOSE OUT OF THE PACK;” “TRADED” INCLUDES BARTER OR EXCHANGE OF SOMETHING OTHER THAN MONEY FOR CIGARETTES.]

- (1) Yes, bought --GO TO B6e2
- (2) No , did not buy-- GO TO B7a
- (3) Traded --- GO TO B6e2sp

|\_\_|

[Don't Know OR Refused: GO TO B7a]

**B6e2/B6e2a** What price did you pay for the LAST “single or individual” cigarette you bought?

[ FR: PRICE PER INDIVIDUAL CIGARETTE; ENTER THE DOLLARS IN THIS SCREEN (B6e2) AND ENTER THE CENTS PORTION OF COST OF A “LOOSIE” CIGARETTE IN THE NEXT SCREEN (B6e2a)]

\$ \_\_ (0-9) **B6e2**

. \_\_\_\_ (0-99) **B6e2a**

**GO TO B6e3**

**B6e2sp** Please Specify what you exchanged for cigarettes.

[FR: ENTER A TEXT OF AT MOST 60 CHARACTERS]

---

**GO TO B7a**

**B6e31** Did you buy your LAST “single or individual” cigarette in (fill respondent’s state of residence) or in some other state or other country?

- (1) In respondent’s state of residence
- (2) In some other state (including DC)
- (3) In another country
  
- (4) BOUGHT SOME OTHER WAY (Internet, etc.)

<p style="text-align: center;"><b>BOX 7B</b></p> <p><b>IF B6e31 = 1, ENTER AUTOMATICALLY RESPONDENT’S STATE OF RESIDENCE IN B6e32 ≡GO TO B7a</b></p> <p><b>ELSE IF B6e31= 2, 3 ≡ GO TO B6e32</b></p> <p><b>ELSE IF B6e31 = 4 ≡ GO TO B6e3SPC</b></p> <p><b>ELSE ≡GO TO B7a</b></p>
--

**B6e32** In what OTHER state or country did you buy your LAST SINGLE OR INDIVIDUAL cigarette?

\_\_\_\_\_ [FR: SPELL OUT THE STATE OR COUNTRY NAME.  
ENTER A TEXT OF AT MOST 40 CHARACTERS. ]

**GO TO B7a**

**B6e3SPC** Specify other way in which last single cigarette was purchased

\_\_\_\_\_ **GO TO B7a**

**B7a** At what age did you first start to smoke cigarettes EVERY DAY?

ENTER AGE (01 – AGE)

[Age >5: GO TO B7b]  
[AGE Less Than OR Equal 5: GO TO B7av]  
[DON'T KNOW OR REFUSED: GO TO B7c]

**B7av I have recorded that you were [fill entry B7a] years old when you started smoking cigarettes EVERY DAY. Is that correct?**

- (1) Yes [GO TO B7b]
- (2) No [GO TO B7a]

|\_\_|

**B7b When you first started to smoke EVERY DAY, were you living in [fill state/country from A2b] or somewhere else?**

- (1) in state/country from A2b
- (2) somewhere else

**B7bspc Specifically, which other state or country were you living in when you started to smoke every day?**

\_\_\_\_\_ [FR: SPELL OUT THE STATE OR COUNTRY NAME. ENTER A TEXT OF AT MOST 40 CHARACTERS.]

**B7c For how long have you smoked EVERY DAY?**

**READ CHOICES 1-4**

- (1) All or nearly all the years you have smoked
- (2) Most of the years you have smoked
- (3) Half of the years you have smoked, OR -
- (4) Less than half the years you have smoked
  
- (5) IF VOLUNTEERED: LESS THAN ONE YEAR

|\_\_|

**IF B2 = 1, GO TO B7c3; ELSE IF B2 =2, 3, R, OR DK, GO TO B7c2**

**B7c2 Have you EVER smoked MENTHOL cigarettes for 6 months or more?**

- (1) Yes
- (2) No

|\_\_|

**IF B7c2 = 1, THEN GO TO B7c3, ELSE GO TO B7d.**

**B7c3 For how long have you smoked MENTHOL cigarettes?**

**READ CHOICES 1-4**

- (1) All or nearly all the years you have smoked
- (2) Most of the years you have smoked
- (3) Half of the years you have smoked, OR -
- (4) Less than half the years you have smoked
  
- (5) IF VOLUNTEERED: LESS THAN ONE YEAR

□□

**B7d Think of the time during your life when you SMOKED THE MOST. During that time, how many cigarettes did you smoke each day?**

[ ONE PACK USUALLY EQUALS 20 CIGARETTES. IF CONVERTING PACKS TO CIGARETTES, ALWAYS VERIFY CALCULATION WITH RESPONDENT.]

ENTER NUMBER OF CIGARETTES PER DAY  
(1-99)

□□□ IF # 40: GO TO B8

[If >40: GO TO B7dv]  
[Don't Know OR Refused: GO TO B8]

**B7dv I have recorded that the time during your life when you SMOKED THE MOST, you smoked [fill entry B7d] cigarettes each day. Is that correct?**

- (1) Yes [GO TO B8]
- (2) No [GO TO B7d]

□□□

[Don't Know OR Refused: GO TO B8]

**B8 Around this time 12 MONTHS AGO, were you smoking cigarettes every day, some days, or not at all?**

- (1) Every day IF B8=1 GO TO B9
- (2) Some days IF B8=2 GO TO B10a
- (3) Not at all IF B8 =3 ≡ **GO TO D1R** ( 3rd QUESTION IN QUIT ATTEMPT SECTION

□□

**IF B8=DK, R GO TO B11**

**B9** Around this time 12 MONTHS AGO, on the average, about how many cigarettes did you smoke each day?

(ONE PACK USUALLY EQUALS 20 CIGARETTES. IF CONVERTING PACKS TO CIGARETTES, ALWAYS VERIFY CALCULATION WITH RESPONDENT.)

ENTER NUMBER OF CIGARETTES PER DAY  
(1-99)

\_\_|\_\_|

BOX 7C

IF B9 = D, R ≡ GO TO **B11**  
IF B9 > 40 ≡ GO TO B9v  
ELSE ≡GO TO **B11**

**B9v** I have recorded that on the average, you smoked [fill entry B9] cigarettes a day 12 months ago. Is that correct?

- (1) Yes
- (2) No ≡GO TO B9

\_\_| IF B9v =1 OR B9v = D, R → GO TO B11

**B10a** Around this time 12 MONTHS AGO, on how many of the 30 days in the month did you smoke cigarettes?

ENTER (0) FOR NONE

\_\_|\_\_| Range 0-30

BOX 7D

IF B10a = 0 OR 30 ≡ GO TO B10av  
ELSE GO TO B10b

**B10av** You said that you smoked cigarettes some days. Is that correct?

- (1) Yes
- (2) No

\_\_|

BOX 7E

IF (B10av = 1 AND B10a= 30 ), OR B10av = DK, R ≡GO TO B10b

IF B10av = 1 AND B10a= 0 ≡GO TO B11

IF B10av = 2 ≡GO TO B8

**B10b** On the average, on those [If B10a = 1-30 (Fill entry B10a days) If B10a=D, R (Fill days you smoked)], how many cigarettes did you usually smoke each day?

**WE ARE STILL TALKING ABOUT “AROUND THIS TIME 12 MONTHS AGO”**

( 1-99 ) IF # 40 ≡ GO TO **B11**; ELSE IF B10b = D, R→B11

**B10bv** I have recorded that on the average, when you smoked on those [fill entry B10a] days, you smoked [fill entry B10b] cigarettes a day. Is that correct?

- (1) Yes
- (2) No ≡ GO TO B10b

**B11** Around this time 12 MONTHS AGO, were you usually smoking menthol or non-menthol cigarettes?

- (1) Menthol
- (2) Non-menthol
- (3) NO USUAL TYPE

**EVERY-DAY SMOKERS (A3=1) ≡ GO TO D1R ( 3rd QUESTION IN QUIT ATTEMPT SECTION)**

---

**SECTION C. SOME-DAY SMOKER SERIES**

---

**C1 On how many of the past 30 days did you smoke cigarettes?**

ENTER (0) FOR NONE

\_\_\_\_ (0-30)

BOX 9

IF C1 = 0 OR 30 ≡ GO TO C1v  
ELSE IF C1=DK, R ≡ GO TO C1i  
ELSE GO TO C1a

**C1v You said that you smoked cigarettes some days. Is that correct?**

(1) Yes

(2) No

\_\_\_\_

BOX 10

IF C1v = 1 AND C1 = 30 ≡GO TO C1a  
IF C1v = 1 AND C1 = 0 ≡GO TO C2  
IF C1v = 2 ≡GO TO A3  
IF C1v = DK, R ≡ GO TO C1a

**C1i Would you say you smoked on AT LEAST 12 DAYS in the past 30 days?**

(1) Yes

(2) No

\_\_\_\_

**C1a On the average, on those [C1 days IF entry for C1 NE D/R. OR “AT LEAST 12 days” IF C1i = 1 YES] days, how many cigarettes did you usually smoke each day?**

\_\_\_\_ IF # 40 ≡ GO TO C2

[IF >40, GO TO C1av]

[Don't Know OR Refused: GO TO C2]



**C1av** I have recorded that on the average, when you smoked on those [C1 / AT LEAST 12] days, you smoked [C1a] cigarettes a day. Is that correct?

- (1) Yes [GO TO C2]
- (2) No [GO TO C1a]

[Don't Know OR Refused: GO TO C2]

**C2** Do you usually smoke menthol or non-menthol cigarettes?

- (1) Menthol
- (2) Non-menthol
- (3) NO USUAL TYPE

[1 or 2: GO TO C2a]

[ 3, Don't Know OR Refused: GO TO C5a]

**C2a** For each of the following, please tell me whether it's a reason you usually smoke menthol/non-menthol { fill menthol if C2 = 1; fill non-menthol if C2 = 2 } cigarettes ? ----Please answer "yes" or "no" for each.

- (1) Yes
- (2) No

**C2a1**  They are less harmful than non-menthol /menthol {{fill non-menthol if C2 = 1; fill menthol if C2 = 2—NOTE: Opposite of the fill in the question stem C2a} cigarettes

**C2a2**  They have a better flavor than non-menthol /menthol {{fill non-menthol if C2 = 1; fill menthol if C2 = 2—NOTE: Opposite of the fill in the question stem C2a} cigarettes

**C2a3**  They are less harsh on your THROAT than non-menthol /menthol {{fill non-menthol if C2 = 1; fill menthol if C2 = 2—NOTE: Opposite of the fill in the question stem C2a} cigarettes

**C2a4**  They are less harsh on your CHEST than non-menthol/menthol { fill non-menthol if C2 = 1; fill menthol if C2 = 2 — NOTE: Opposite of the fill in the question stem C2a} cigarettes

**C5anum/unt** On the days that you smoke, how soon after you wake up do you typically smoke your first cigarette of the day?

(IF NECESSARY, FR ASK FOR BEST ANSWER IN MINUTES OR HOURS)  
ENTER (0) IF RESPONDENT INSISTS IT VARIES

**C5anum** ENTER NUMBER (0 – 90)

**C5aunt** ENTER UNIT REPORTED  
 (1) Minutes (2) Hours

BOX 13
IF C5a = 0, D, R ≡ GO TO C5b ELSE GO TO C5c

**C5b** On the days that you smoke, would you say you smoke your first cigarette of the day within the first 30 minutes?

- (1) Yes
- (2) No
- (3) Varies— DO NOT READ

[GO TO C5c]

**C5c** Do you sometimes awaken during the night to have a cigarette?

- (1) Yes
- (2) No

**DO NOT READ**

- (3) DON'T SLEEP AT NIGHT
- (4) USE SOME OTHER TOBACCO PRODUCT WHEN I AWAKEN DURING THE NIGHT

**\*CA6a** Do you USUALLY BUY your own cigarettes?

- (1) Yes (GO TO C6a)
- (2) No (GO TO C6e1)

[Don't Know OR Refused: **GO TO C6e1**]

**C6a** Do you USUALLY buy your cigarettes by the pack or by the carton? [FR: A CARTON HAS 10 PACKS]

- (1) Pack
- (2) Carton
- (3) Buy both packs and cartons

BOX 14

IF C6a = (1) OR (3) OR DK, R ≡GO TO C6b  
**IF C6a = (2) ≡GO TO C6c**

**C6b/C6b2** What price did you pay for the **LAST PACK** of cigarettes you bought? Please report the cost after using discounts or coupons. [FR: PRICE PER PACK]

\$ \_\_\_ \_\_\_ C6b (0-99) ENTER DOLLARS PORTION OF THE PRICE PER PACK

. \_\_\_ \_\_\_ C6b2 (0-99) ENTER THE CENTS PORTION OF THE PRICE PER PACK

GO TO **C6d**

[Don't Know OR Refused: GO TO C6d]

**C6c/C6c2** What price did you pay for the **LAST carton** of cigarettes you bought? Please report the cost after using discounts or coupons. [FR: PRICE PER CARTON]

\$ \_\_\_ \_\_\_ C6c (0-999) ENTER THE DOLLARS PORTION OF THE PRICE PER CARTON

. \_\_\_ \_\_\_ C6c (0-99) ENTER THE CENTS PORTION OF THE PRICE PER CARTON

GO TO **C6d**

[Don't Know OR Refused: GO TO C6d]

**C6d1** Did you buy your **LAST** (fill appropriate term here from C6a responses (=1, 3, DK or R fill "pack"; =2 fill "carton") of cigarettes in [fill respondent's state of residence] or in some other state?

- (1) In respondent's state of residence
- (2) In some other state (including DC)
- (3) BOUGHT SOME OTHER WAY (Internet, other country, ...)

BOX 15

IF C6d1 =1, ENTER AUTOMATICALLY RESPONDENT'S STATE OF RESIDENCE IN C6d2 ≡**GO TO C6d3**  
ELSE IF C6d1 = 2 ≡ **GO TO C6d2**  
ELSE IF C6d1 = 3 ≡ **GO TO C6dOTH**  
ELSE ≡GO TO **C6e1**

**C6d2** In what other state did you buy your **LAST** (fill appropriate term here: **pack/carton** from

C6a responses (=1, 3, DK or R fill “pack”; =2 fill “carton”) of cigarettes?

\_\_\_\_ ENTER 2 CHARACTER STATE ABBREVIATION **GO TO C6d3**

**C6d3 Did you buy your LAST (fill appropriate term here from C6a responses (=1, 3, DK or R fill “pack”; = 2 fill “carton”) of cigarettes from an Indian reservation?**

- (1) YES- GO TO C6e1
- (2) NO GO TO C6e1

**[DON'T KNOW OR REFUSED, GO TO C6e1]**

**ALL GO TO C6e1**

**C6dOTH Was the “Other Way” in which you purchased your LAST (fill appropriate term here from C6a responses (=1, 3, DK or R fill “pack”; =2 fill “carton”) of cigarettes:**

**READ THE FIRST THREE CHOICES**

- (1) In a foreign country or a duty-free shop**
- (2) From an Indian reservation OR**
- (3) By mail-order, phone or internet**
  
- (4) Some other way (NOT READ)

**If C6dOTH = (4)--Some other way GO TO C6dSPC; ELSE GO TO C6e1**

**C6dSPC - Please specify the “Other Way” in which your LAST cigarettes were purchased**

\_\_\_\_\_ ENTER A TEXT OF AT MOST 60 CHARACTERS

**C6e1 In the LAST 2 months, have you bought or traded for any SINGLE or INDIVIDUAL cigarettes?**

**[FR: RESPONDENT MAY REFER TO IT AS A “LOOSIE” OR “LOOSE OUT OF THE PACK.” TRADED INCLUDES BARTER OR EXCHANGE OF SOMETHING OTHER THAN MONEY FOR CIGARETTES.]**

- (1) Yes, bought GO TO C6e2
- (2) No, did not buy GO TO C7a
- (3) Traded GO TO C6e2a1

[Don't Know OR Refused: GO TO C7a]

**C6e2a1 Please Specify what you exchanged for a cigarette.**

\_\_\_\_\_ [FR: ENTER A TEXT OF AT MOST 60 CHARACTERS].

---

**C6e2/C6e2b What price did you pay for the LAST "single or individual" cigarette you bought?**

[FR: ENTER THE DOLLAR PORTION OF THE PRICE ON THIS SCREEN (C6e2).; ENTER THE CENTS PORTION OF THE PRICE PER LOOSIE ON THE NEXT SCREEN (C6e2b)]

\$\_\_ C6e2 (0-9)

.\_\_ \_\_ C6e2b (0-99)

**GO TO C6e31**

**C6e31 Did you buy your LAST SINGLE or INDIVIDUAL cigarette in [fill respondent's state of residence] or in some other state or other country?**

- (1) In respondent's state of residence
- (2) In some other state (including DC)
- (3) In another country
- (4) BOUGHT SOME OTHER WAY (Internet, etc..)

└┐

<b>BOX 15B</b> IF C6e31 =1, ENTER AUTOMATICALLY RESPONDENT'S STATE OF RESIDENCE IN C6e32 ≡GO TO C7a ELSE IF C6e31 = 2, 3 ≡ GO TO C6e32 ELSE IF C6e31 = 4 ≡ GO TO C6e3SPC ELSE ≡GO TO C7a
---

**C6e32 In what OTHER state or other country did you buy your LAST SINGLE OR INDIVIDUAL cigarette?**

----- [FR: SPELL OUT THE STATE OR COUNTRY NAME.  
ENTER A TEXT OF AT MOST 40 CHARACTERS]

**GO TO C7a**

C6e3SPC SPECIFY other way in which last single cigarette was purchased:

\_\_\_\_\_ [FR: ENTER A TEXT OF AT MOST 60 CHARACTERS]

**GO TO C7a**

---

**Past Smoking Behavior for Some-Day Smokers**

**C7a Have you EVER smoked cigarettes EVERY DAY for at least 6 months?**

(1) Yes [GO TO **C7a2**]

(2) No [If **C7a = 2** AND **C2=1**, GO TO **C7d3**; Else if **C7a =2** AND **C2=2, 3, DK, or R**, Go to **C7d2**]

|\_|

[If **C7a = DK or R** AND If **C2=1**, GO TO **C7d3**; Else If **C7a = DK or R** AND **C2=2, 3, DK, or R**, GO TO **C7d2**]

**C7a2 At what age did you first start to smoke cigarettes EVERY DAY?**

ENTER AGE (01 – AGE)

|\_|\_|

[Age >5: GO TO **C7a3**]

[AGE Less Than OR Equal 5: GO TO **C7a2v**]

[DON'T KNOW OR REFUSED: GO TO **C7d**]

**C7a2v I have recorded that you were [fill entry C7a2] years old when you started smoking cigarettes EVERY DAY. Is that correct?**

(1)Yes [GO TO **C7a3**]

(2)No [GO TO **C7a2**]

|\_|

**C7a3 When you first started to smoke EVERY DAY, were you living in [fill state/country from A2b] or somewhere else?**

(1) in state/country from A2b GO TO **C7d**

(2) somewhere else GO TO **C7a3SP**

**C7a3SP Please specify the other state or country you were living in when you started to smoke EVERY DAY**

----- [FR: SPELL OUT THE FULL NAME. ENTER A TEXT OF AT MOST 40 CHARACTERS]

**C7d For how long have you smoked EVERY DAY**

**READ CHOICES 1-4**

- (1) All or nearly all the years you have smoked
- (2) Most of the years you have smoked
- (3) Half of the years you have smoked, OR -
- (4) Less than half the years you have smoked
  
- (5) IF VOLUNTEERED: LESS THAN ONE YEAR

|\_\_|

**IF C2 = 1, GO TO C7d3; ELSE IF C2 =2, 3, R, OR DK, GO TO C7d2**

**C7d2 Have you EVER smoked MENTHOL cigarettes for 6 months or more?**

- (1) Yes
- (2) No

**IF C7d2 = 1, THEN GO TO C7d3; ELSE if C7a =2, R, or DK, GO TO C8; ELSE GO TO C7e**

**C7d3 For how long have you smoked MENTHOL cigarettes**

**READ CHOICES 1-4**

- (1) All or nearly all the years you have smoked
- (2) Most of the years you have smoked
- (3) Half of the years you have smoked, OR -
- (4) Less than half the years you have smoked
  
- (5) IF VOLUNTEERED: LESS THAN ONE YEAR

|\_\_|

**IF C7a = 2, R, or DK, Go to C8; ELSE Go To C7e**

**C7e When you last smoked every day, on average how many cigarettes did you smoke each day?**

ENTER NUMBER OF CIGARETTES EACH DAY (1-99)

\_\_\_ IF # 40: GO TO C7f

[If >40: GO TO C7ev]

[Don't Know OR Refused: GO TO C7f]

**C7ev I have recorded that when you last smoked every day, on the average you smoked [fill entry C7e] cigarettes each day. Is that correct?**

(1) Yes [GO TO C7f]

(2) No [GO TO C7e]

\_\_\_

[Don't Know OR Refused: GO TO C7f]

**C7f Think of the time during your life when you SMOKED THE MOST. During that time, how many cigarettes did you smoke each day?**

[ ONE PACK USUALLY EQUALS 20 CIGARETTES. IF CONVERTING PACKS TO CIGARETTES, ALWAYS VERIFY CALCULATION WITH RESPONDENT.]

ENTER NUMBER OF CIGARETTES PER DAY  
(1-99)

\_\_\_ IF # 40: GO TO C8

[If >40: GO TO C7fv]

[Don't Know OR Refused: GO TO C8]

**C7fv I have recorded that the time during your life when you SMOKED THE MOST, you smoked [fill entry C7f] cigarettes each day. Is that correct?**

(1) Yes [GO TO C8]

(2) No [GO TO C7f]

\_\_\_

[Don't Know OR Refused: GO TO C8]

**C8 Around this time 12 MONTHS AGO, were you smoking cigarettes every day, some days, or not at all?**

(1) Every day IF C8 = 1 → GO TO C9

(2) Some days IF C8 = 2 → GO TO C10a

(3) Not at all IF C8 = 3 ≡ **BOX 18**



□

**IF C8 = DK, R →GO TO C11**

**C9 Around this time 12 MONTHS AGO, on the average, about how many cigarettes did you smoke each day?**

(ONE PACK USUALLY EQUALS 20 CIGARETTES. IF CONVERTING PACKS TO CIGARETTES, ALWAYS VERIFY CALCULATION WITH RESPONDENT.)

ENTER NUMBER OF CIGARETTES PER DAY  
(1-99)

□□□

BOX16B

IF C9 = D, R ≡ GO TO C11  
IF C9 > 40 ≡ GO TO C9v  
ELSE ≡GO TO C11

**C9v I have recorded that on the average, you smoked [fill entry C9] cigarettes a day 12 months ago. Is that correct?**

- (1) Yes → GO TO C11
- (2) No ≡GO TO C9

□

**DK, R → GO TO C11**

**C10a Around this time 12 MONTHS AGO, on how many of the 30 days in the month did you smoke cigarettes?**

ENTER (0) FOR NONE

□□□ (0 – 30)

BOX 16C

IF C10a = 0 OR 30 ≡ GO TO C10av  
If C10a=D, R, GO TO C10b  
ELSE GO TO C10b

**C10av You said that you smoked cigarettes some days. Is that correct?**

- (1) Yes
- (2) No

□

BOX 16D

IF (C10av = 1 AND C10a= 30), OR C10av = DK, R ≡GO TO C10b  
ELSE IF C10av = 1 AND C10a= 0 ≡GO TO C11  
ELSE IF C10av = 2 ≡GO TO C8 AND CORRECT  
ELSE GO TO C10b

**C10b** On the average, on those [fill entry C10a days; If C10a=D, R, then fill with “days you smoked”], how many cigarettes did you usually smoke each day?

We are still talking about “around this time 12 months ago.”

□□□ (1-99) IF # 40 ≡ GO TO C11; ELSE IF C10b = D, R → GO TO C11; IF C10b > 40,  
GO TO C10bv

**C10bv** I have recorded that on the average, when you smoked on those [fill entry C10a days; If C10a=D, R, then fill with “days you smoked”], you smoked [fill entry C10b] cigarettes a day. Is that correct?

- (1) Yes
- (2) No ≡ GO TO C10b AND CORRECT

□

**C11** Around this time 12 MONTHS AGO, were you usually smoking menthol or non-menthol cigarettes?

- (1) Menthol
- (2) Non-menthol
- (3) NO USUAL TYPE

□

BOX 18

IF ENTRY IN C1  $\exists$  12 DAYS IN THE PAST 30 DAYS, → D1R (3<sup>rd</sup> question in Section D)  
ELSE IF C1i = 1 (Yes) → D1R (3<sup>rd</sup> question in Section D)  
ELSE IF C1i = 2 (NO), OR C1i = DK, R → Da  
ELSE IF C1 < 12 → Da

---

**SECTION D. PAST 12-MONTH QUIT ATTEMPTS FOR CURRENT EVERY-DAY  
AND SOME-DAY SMOKERS**

---

**PAST 12-MONTH QUIT ATTEMPTS FOR SOME-DAY SMOKERS SMOKING <12 DAYS IN  
THE PAST 30 DAYS**

**Da During the PAST 12 MONTHS, have you TRIED to QUIT smoking COMPLETELY?**

(1) Yes [GO TO D3b]

(2) No [GO TO Db]

|\_ |

[Don't Know OR Refused: GO TO Db]

**Db Have you EVER TRIED to QUIT smoking COMPLETELY?**

(1) Yes

(2) No

|\_ |

≡ All responses GO TO F1a

**PAST 12-MONTH QUIT ATTEMPTS FOR EVERY-DAY AND SOME-DAY SMOKERS (some  
day smokers smoking >=12 days during the past 30 days)**

**Quit attempts of 1 day or longer:**

**D1R During the PAST 12 MONTHS, have you stopped smoking for ONE DAY or longer  
BECAUSE YOU WERE TRYING TO QUIT SMOKING?**

(1) Yes [GO TO D3]

(2) No [GO TO D7R]

|\_ |

[Don't Know OR Refused: GO TO D7R]

**D3 How many TIMES during the past 12 months have you stopped smoking for one day or longer BECAUSE YOU WERE TRYING TO QUIT SMOKING?**

**FR READ CHOICES**

- (1) Once (1 time)
- (2) 2-3 times
- (3) 4 or more times

BOX 19

IF D3 = DK/REF ≡GO TO D3b  
ELSE ≡GO TO D4

**D3b Would you say that during the past 12 months it was MORE THAN 3 TIMES that you have stopped smoking for one day or longer BECAUSE YOU WERE TRYING TO QUIT SMOKING?**

- (1) Yes
- (2) No

[GO TO **D4**]

**D4 The LAST TIME you stopped smoking during the PAST 12 months because you were TRYING to quit, how long did you stop for?**

**D4num ENTER NUMBER  
(1 – 365)**

**D4unt ENTER UNIT REPORTED**

- (1) Days
- (2) Weeks
- (3) Months
- (4) Years

IF D4num AND/OR D4unt = DK/REF ≡GO TO D4b  
IF D4num >18 AND D4unt = 2 ≡GO TO D4v  
IF D4num > 12 AND D4unt =3≡GO TO D4v  
IF D4num >2 AND D4unt = 4 ≡GO TO D4v  
ELSE GO TO D4c

**D4v** I have recorded that the **LAST TIME** you stopped smoking in the past 12 months **BECAUSE YOU WERE TRYING TO QUIT SMOKING** was for a duration of [fill entry D4num AND D4unt]? Is that correct?

- (1) Yes →GO TO D4c
- (2) No ≡GO TO D4 and correct

**D4b** Was it more or less than one week?

- (1) More
- (2) Less
- (3) One week

**D4cmon/day/yr** When was the approximate **END** date of this **LAST QUIT ATTEMPT** that lasted [fill response to D4num, D4unt OR fill response to D4b—(more than/less than equal to) 1 week]?

**D4cmon** FR: ENTER THE MONTH FROM THE LIST 1-12

**D4cday** FR: ENTER THE 2 DIGIT DAY (PRECEDE BY ZERO IF NECESSARY)

**D4cyr** FR: ENTER 4 DIGITS OF THE YEAR

**D5** Was [fill entry D4num AND D4unt / OR D4b] the **LONGEST** you went without smoking in the past 12 months?

- (1) Yes ≡GO TO SECTION E
- (2) No

**D6** During the **PAST 12 MONTHS**, what is the [LENGTH / LONGEST length: If D3 = 1, fill with “LENGTH;” ELSE fill with “LONGEST Length”] of time you stopped smoking because you were **TRYING** to quit smoking?

[FR NOTE: IF QUIT ATTEMPT BEGAN MORE THAN 12 MONTHS AGO BUT ENDED WITHIN THE PAST 12 MONTHS, COUNT ALL OF IT.]

**D6num** ENTER NUMBER (1 - 365)

□□□□

**D6unt** ENTER UNIT REPORTED

- (1) Days
- (2) Weeks
- (3) Months
- (4) Years

□□

BOX 20
IF D6num AND/OR D6unt = DK/REF ≡GO TO D6b
IF D6num >18 <u>AND</u> D6unt = 2 ≡GO TO D6v
IF D6num > 12 <u>AND</u> D6unt=3 ≡GO TO D6v
IF D6num >2 AND D6unt = 4 ≡GO TO D6v
ELSE ≡GO TO SECTION E

**D6v** I have recorded that the **LONGEST** length of time you stopped smoking in the past 12 months because you were **TRYING** to quit smoking was [fill entry D6num and D6unt]? Is that correct?

- (1) Yes [GO TO SECTION E, Box 21]
- (2) No [GO TO D6num]

□□

[Don't Know OR Refused: GO TO D6b]

**D6b** Was it more or less than one week?

- (1) More
- (2) Less
- (3) One week

□□ [GO TO SECTION E, Box 21]

**Quit attempts of less than a day (if no quit attempts lasting for one DAY or more):**

**D7R** DURING THE PAST 12 MONTHS, have you made a serious attempt to stop smoking because you were **TRYING** to quit – even if you stopped for less than a day?

- (1) Yes [GO TO SECTION E, Box 21]
- (2) No [GO TO D8R]

□□

[Don't Know OR Refused: GO TO D8R]

**D8R** Have you **EVER** made a serious attempt to stop smoking because you were **TRYING** to quit – even if you stopped for less than a day?

(1) Yes [GO TO F1a]

(2) No [GO TO F1a]

/\_/\_/

[Don't Know OR Refused: GO TO F1a]

**SECTION E. METHODS USED DURING PAST (12-MONTH) QUIT ATTEMPTS  
(EVERY-DAY AND SOME-DAY SMOKERS)**

BOX 21

**IF D3 = 1, THEN FILL E1a, E1b, E1c AND E2 WITH “The TIME”  
ELSE FILL E1a, E1b, E1c AND E2 WITH “The LAST TIME”**

**E1a Thinking back to the (LAST TIME/time) you tried to QUIT smoking in the past 12 months - Did you use ANY of the following PRODUCTS:**

[FR: REPEAT THE STEM OF THE QUESTION AS NECESSARY]

(1) Yes

(2) No

<b>E1a1</b>	<b>A nicotine patch</b>	<input type="checkbox"/>
<b>E1a2</b>	<b>A nicotine gum or nicotine lozenge</b>	<input type="checkbox"/>
<b>E1a3</b>	<b>A nicotine nasal spray or nicotine inhaler</b>	<input type="checkbox"/>

**E1abn1/u1 In total, during the LAST TIME/time you tried to QUIT smoking, how long did you use [fill with EACH E1a 1, 2, 3 = 1 (YES) OR IF all three are =1- YES, then fill with “ANY of these” ]**

**number- n1[1-99]**

**units-u1 [1= Days, 2= Weeks, 3= Months]**

**E1a7a Thinking back to the (LAST TIME/time) you tried to QUIT smoking in the past 12 months - Did you use ANY of the following PRODUCTS:**

(1) Yes

(2) No

**E1a7a A prescription pill, called Chantix or Varenicline ?**

**E1a7b A prescription pill, called Zyban, Bupropion, or Wellbutrin?**

**E1a7c Another prescription pill   
IF E1a7c = YES, GO TO E1a7cS**

**E1a7cS Please specify the other type of prescription pill:  
\_\_\_\_\_ [FR: ENTER THE OTHER TYPE OF  
PRESCRIPTION PILL USING TEXT OF AT MOST 20 CHARACTERS]**

**E1acn1/u1 In total, during the LAST TIME/time you tried to QUIT smoking, how long did you use [fill with EACH E1a7a,b,c =1 (YES) OR IF ALL E17a ,7b , AND 7c are =1- YES, then fill with “ANY of these prescription PILLS?” ]**



number--n1 [1-99]  
 unit-- u1 [1= Days, 2= Weeks, 3= Months]

**E1b Thinking back to the (LAST TIME/time) you tried to QUIT smoking in the past 12 months:**

**Did you use ANY of the following: [FR NOTE: FOR THIS QUESTION, RE-READ STEM PERIODICALLY]**

(1) Yes

(2) No

**E1b1  A telephone help line or quit line**

**E1b2  One-on-one counseling**

**E1b3  A stop smoking clinic, class, or support group**

**E1b4  Help or support from friends or family**

**E1b5  Internet or web-based program**

**E1b6  Books, pamphlets, videos, or other materials**

**E1b7  Acupuncture or hypnosis IF E1b7 = 1 (YES), THEN GOTO E1b7a; ELSE GO TO E1c**

**E1b7a  Which: acupuncture or hypnosis or both?**

(1) Acupuncture

(2) Hypnosis

(3) Both

**E1c The (LAST TIME / time) you tried to QUIT smoking in the past 12 months: Did you do ANY of the following: [FR NOTE: FOR THIS QUESTION, RE-READ STEM PERIODICALLY]**

(1) Yes

(2) No

**E1c1  Try to quit by GRADUALLY cutting back on cigarettes?**

**E1c2  Try to quit by SWITCHING to smokeless tobacco such as chewing tobacco, snuff, or snus?**

**E1c2b  Try to quit by SWITCHING to regular cigars, cigarillos, little filtered cigars or pipes filled with tobacco?**

**E1c3  Did you SWITCH to a "lighter" cigarette in order to TRY TO QUIT?**

IF B2 OR C2=2 (NON-MENTHOL), 3, DK, OR R, GO TO E1c3b; ELSE IF B2 OR C2=1, GO TO E1c3c

**E1c3b**  **Did you SWITCH to menthol cigarettes in order to TRY TO QUIT?----**

[IF RESPONDENT SAYS THEY WERE ALREADY SMOKING 'MENTHOL CIGARETTES WHEN THEY TRIED TO QUIT-- THEN THE ANSWER IS "NO" THEY DIDN'T SWITCH TO TRY TO QUIT]

**IF B2 OR C2=2 (NON-MENTHOL), THEN GO TO E1c4; ELSE GO TO E1c3c**

**E1c3c**  **Did you switch to non-menthol cigarettes in order to TRY TO QUIT?**

[IF RESPONDENT SAYS THEY WERE ALREADY SMOKING "NON-MENTHOL" CIGARETTES WHEN THEY TRIED TO QUIT-- THEN THE ANSWER IS "NO" THEY DIDN'T SWITCH TO TRY TO QUIT]

**E1c4**  **Did you try to give up cigarettes ALL at ONCE**

**IF E1c4 = 1 (YES), GO TO E1d; ELSE GO TO F1a**

**E1d** Please tell me which one statement is true about this most recent quit attempt where you tried to give up cigarettes all at once: [IF NEEDED, We are still talking about the past 12 months.]

READ THE 4 RESPONSE CATEGORIES

- (1) I tried to quit as soon as I made the decision.
- (2) I planned the quit for later the same day.
- (3) I planned the quit for a date in the future.
- (4) I decided to quit after having NOT smoked for some other reason

**E1e** When you tried to quit all at once, would you say you TRIED TO QUIT "cold turkey?"

- (1) YES
- (2) NO

**IF NEEDED: "COLD TURKEY" IS STOPPING ALL AT ONCE WITHOUT ANY AIDS**

(All responses GO TO F1a)

---

**SECTION F. DOCTOR/DENTIST ADVICE TO STOP SMOKING --- CURRENT AND SOME-DAY SMOKERS**

---

The F section has been re-written since the 2003 cycle.

**F1a In the PAST 12 MONTHS have you SEEN a medical doctor?**

- (1) Yes **GO TO F1b**
- (2) No **GO TO F2a**

[Don't Know OR Refused: **GO TO F2a**]

**F1b During the PAST 12 MONTHS, did any medical doctor ADVISE you to stop smoking?**

- (1) Yes **GO TO F1c**
- (2) No **GO TO F2a**

[Don't Know OR Refused: **GO TO F2a**]

**F1c In the PAST 12 MONTHS, when a medical doctor advised you to quit smoking, did the doctor also: [REPEAT THE STEM OF THE QUESTION AS NEEDED.]**

- (1) Yes
- (2) No

**F1c1  Suggest that you call or use a telephone help line or quit line?**

**F1c2  Suggest that you use a smoking cessation class, program, or counseling?**

**F1c3  Recommend or Prescribe a nicotine product such as patch, gum, lozenge, nasal spray or inhaler?**

**F1c4  Prescribe a pill such as Chantix, Varenicline, Zyban, Bupropion, or Wellbutrin**

**F1c5  Suggest that you set a specific date to stop smoking?**

**GO TO F2a**

**F2a In the PAST 12 MONTHS have you SEEN a dentist?**

- (1) Yes **GO TO F2b**
- (2) No **GO TO G1**

[Don't Know OR Refused: **GO TO G1**]

**F2b During the PAST 12 MONTHS, did any dentist ADVISE you to stop smoking?**

- (1) Yes      **GO TO F2c1**
- (2) No      **GO TO G1**

[Don't Know OR Refused: **GO TO G1**]

**F2c1 In the PAST 12 MONTHS, when a dentist advised you to quit smoking, did the dentist also:**

- (1) Yes
- (2) No

**F2c1**  **Suggest that you call or use a telephone help line or quit line?**

**F2c2**  **Suggest that you use a smoking cessation class, program, or counseling?**

**F2c3**  **Recommend or Prescribe a nicotine product such as a patch, gum, lozenge, nasal spray or inhaler**

**F2c4**  **Prescribe a pill such as Chantix, Varenicline, Zyban, Bupropion, or Wellbutrin**

**F2c5**  **Suggest that you set a specific date to stop smoking?**

**All responses GO TO G1**

---

**SECTION G. STAGES OF CHANGE – EVERY DAY/SOME-DAY SMOKERS**

---

**G1 Are you seriously considering quitting smoking within the next 6 months?**

- (1) Yes [GO TO G2]
- (2) No [GO TO G3]

[Don't Know OR Refused: GO TO G3]

**G2 Are you planning to quit within the next 30 days?**

- (1) Yes
- (2) No

All responses GO TO G3

**G3 Overall, on a scale from 1 to 10 where 1 is NOT AT ALL interested and 10 is EXTREMELY interested, how interested are you in quitting smoking?**

IF G3 = 1 ≡ GO TO SECTION J, ELSE GO TO G4

**G4 If you did try to quit smoking altogether in the next 6 months, how LIKELY do you think you would be to succeed --- not at all, a little likely, somewhat likely or very likely?**

- (1) Not at all
- (2) A little likely
- (3) Somewhat likely
- (4) Very likely

**ALL EVERY DAY/SOME DAY SMOKERS (A3=1, 2) ≡ GO TO SECTION J**

---

**SECTION H. FORMER SMOKER SECTION**

---

**H1NUM/UNT** About how long has it been since you **COMPLETELY** quit smoking cigarettes?

**H1NUM** ENTER NUMBER

(1-99)

**H1UNT** ENTER UNIT REPORTED

- (1) Days
- (2) Weeks
- (3) Months
- (4) Years

BOX 24

IF H1NUM > 18 AND H1UNT = 2 ≡ GO TO H1v  
IF H1NUM > 30 AND H1UNT = 3 ≡ GO TO H1v  
IF H1NUM > (AGE - [ENTRY A2]) AND H1UNT = 4 ≡ GO TO H1ERR  
ELSE ≡ GO TO H2

**H1ERR**        \*\*\* DO NOT READ \*\*\*

It was reported (in item A2) that this person first started smoking greater than [fill AGE - (entry to A2)] years ago. Response of [fill entry H1NUM/UNT] (in item H1NUM/UNT) is inconsistent.

(B) Back to correct

≡ GO TO H1NUM

**H1v** I have recorded that it has been about [fill entry H1NUM and H1UNT] since you completely quit smoking cigarettes? Is that correct?

- (1) Yes [GO TO H2]
- (2) No [GO TO H1NUM]

[Don't Know OR Refused: GO TO H2]

**H2** Have you **EVER** smoked cigarettes **EVERY DAY** for at least 6 months?

- (1) Yes [**GO TO H2a**]
- (2) No [**GO TO BOX 26**]

[Don't Know OR Refused: GO TO BOX 26]

**H2a At what age did you first start to smoke cigarettes EVERY DAY?**

ENTER AGE (01 – AGE)

|\_|\_|

[Age >5: GO TO H2b]

[AGE Less Than OR Equal 5: GO TO H2av]

[DON'T KNOW OR REFUSED: GO TO H5]

**H2av I have recorded that you were [fill entry H2a] years old when you started smoking cigarettes EVERY DAY. Is that correct?**

(1)Yes [GO TO H2b]

(2)No [GO TO H2a]

|\_|

**H2b When you first started to smoke EVERY DAY, were you living in [fill state/country from A2b] or somewhere else?**

(1) in state/country from A2b GO TO H5

(2) somewhere else

**H2bSPC Please specify the other state or country you were living in when you first started to smoke EVERY DAY.**

\_\_\_\_\_ SPELL OUT THE STATE /COUNTRY NAME. ENTER A TEXT OF AT MOST 40 CHARACTERS

**H5 For how long did you smoke EVERY DAY?**

READ CHOICES 1-4

(1) All or nearly all the years you have smoked

(2)Most of the years you have smoked

(3)Half of the years you have smoked, OR -

(4)Less than half the years you have smoked

(5)IF VOLUNTEERED: LESS THAN ONE YEAR

|\_|

**H5a** When you last smoked every day, on average how many cigarettes did you smoke each day?

ENTER NUMBER OF CIGARETTES EACH DAY  
(1-99)

\_\_\_|\_\_\_| IF # 40: GO TO H5b

[If >40: GO TO H5av]  
[Don't Know OR Refused: H5b]

**H5av** I have recorded that when you last smoked every day, on the average you smoked [fill entry H5a] cigarettes each day. Is that correct?

- (1) Yes [GO TO H5b]
- (2) No [GO TO H5a]

\_\_\_|\_\_\_|

[Don't Know OR Refused: H5b]

**H5b** Think of the time during your life when you SMOKED THE MOST. During that time, how many cigarettes did you smoke each day?

[ ONE PACK USUALLY EQUALS 20 CIGARETTES. IF CONVERTING PACKS TO CIGARETTES, ALWAYS VERIFY CALCULATION WITH RESPONDENT. ]

ENTER NUMBER OF CIGARETTES PER DAY  
(1-99)

\_\_\_|\_\_\_| IF # 40: GO TO BOX 26

[If >40: GO TO H5bv]  
[Don't Know OR Refused: GO TO BOX 26]

**H5bv** I have recorded that the time during your life when you SMOKED THE MOST, you smoked [fill entry H5b] cigarettes each day. Is that correct?

- (1) Yes [GO TO BOX 26]
- (2) No [GO TO H5b]

\_\_\_|\_\_\_|

[Don't Know OR Refused: GO TO BOX 26]



BOX 26

IF H1 #1 YEAR (12 MONTHS, 52 WEEKS, 99 DAYS) ≡GO TO H6  
IF H1 > 3YEARS (36 MONTHS, EQUIVALENT in WEEKS and in DAYS)  
≡GO TO H11a  
ELSE ≡GO TO H6C2

**H6** Around this time 12 MONTHS AGO, were you smoking cigarettes every day, some days, or not at all?

- (1) Every day IF H6 = 1 → GO TO H6A
- (2) Some days IF H6 =2 → GO TO H6B
- (3) Not at all

[IF H6 = 3, GO TO H6C2; ELSE IF H6 = DK, R GO TO H6Ci]]

**H6A** Around this time 12 MONTHS AGO, on the average, about how many cigarettes did you smoke each day?

(ONE PACK USUALLY EQUALS 20 CIGARETTES. IF CONVERTING PACKS TO CIGARETTES, ALWAYS VERIFY CALCULATION WITH RESPONDENT.)

ENTER NUMBER OF CIGARETTES PER DAY  
(1-99)

BOX26A

IF H6A = D, R ≡ GO TO H6Ci  
IF H6A > 40 ≡ GO TO H6Av  
ELSE ≡GO TO H6Ci

**H6Av** I have recorded that on the average, you smoked [fill entry H6A] cigarettes a day 12 months ago. Is that correct?

- (1) Yes → GO TO H6Ci
- (2) No → GO TO H6A to CORRECT

IF H6Av = DK, R → H6Ci

**H6B** Around this time 12 MONTHS AGO, on how many of 30 days in the month did you smoke cigarettes?

ENTER (0) FOR NONE

□□□ (0-30)

BOX 26B
IF H6B = 0 OR 30 ≡ GO TO H6Bv ELSE GO TO H6C

**H6Bv** You said that you smoked cigarettes some days. Is that correct?

- (1) Yes
- (2) No

□

BOX 26C
IF (H6Bv = 1 <u>AND</u> H6B = 30 ), OR H6Bv = DK, R ≡GO TO H6C ELSE IF H6Bv = 1 <u>AND</u> H6B =0 ≡GO TO H6C2 ELSE IF H6Bv = 2 ≡GO TO H6

**H6C** On the average, on those [fill entry H6B] days, how many cigarettes did you usually smoke each day?

WE ARE STILL TALKING ABOUT “AROUND THIS TIME 12 MONTHS AGO”

□□□ IF # 40 ≡ GO TO H6Ci; ELSE IF H6C = D, R ➔ GO TO H6Ci

**H6Cv** I have recorded that on the average, when you smoked on those [fill entry H6B] days, you smoked [fill entry H6C] cigarettes a day. Is that correct?

- (1) Yes
- (2) No ≡ GO TO H6C

□

(Don't Know or Refused GO TO H6Ci)

**H6Ci** Around this time 12 MONTHS AGO, were you usually smoking menthol or non-menthol cigarettes?

- (1) Menthol
- (2) Non-menthol
- (3) NO USUAL TYPE

[1 or 2: GO TO H6C3;]  
[ 3, Don't Know OR Refused: GO TO H6C4]

**H6C2** Thinking back to the 12 MONTHS BEFORE YOU QUIT SMOKING CIGARETTES, During that time, did you usually smoke menthol or non-menthol cigarettes?

- (1) Menthol
- (2) Non-menthol
- (3) NO USUAL TYPE

[1 or 2: GO TO H6C3;]  
[ 3, Don't Know OR Refused: GO TO H6C4]

**H6C3** For each of the following, please tell me whether it's a reason you usually smoked menthol/non-menthol { fill menthol if H6Ci or H6C2 = 1; fill non-menthol if H6Ci or H6C2 = 2 } cigarettes ? ----Please answer "yes" or "no" for each.

- (1) Yes
- (2) No

**H6C31**  They were less harmful than non-menthol /menthol {fill non-menthol if H6C2 = 1 or H6Ci = 1; fill menthol if H6C2 = 2 or H6Ci = 2—NOTE: Opposite of the fill in the question stem H6C3} cigarettes

**H6C32**  They had a better flavor than non-menthol /menthol {fill non-menthol if H6Ci =1 or H6C2 = 1; fill menthol if H6Ci = 2 or H6C2 = 2—NOTE: Opposite of the fill in the question stem H6C3} cigarettes

**H6C33**  They were less harsh on your THROAT than non-menthol /menthol {fill non-menthol if H6Ci = 1 or H6C2 = 1; fill menthol if H6Ci = 2 or H6C2 = 2—NOTE: Opposite of the fill in the question stem H6C3} cigarettes

**H6C34**  They were less harsh on your CHEST than non-menthol/menthol {fill non-menthol if H6Ci = 1 or H6C2 = 1; fill menthol if H6Ci = 2 or H6C2 = 2—NOTE: Opposite of the fill in the question stem H6C3} cigarettes

**IF H6Ci or H6C2 = 1, GO TO H6C5; ELSE IF H6Ci or H6C2 =2, 3, R, or DK, GO TO H6C4**

**H6C4** Have you EVER smoked MENTHOL cigarettes for 6 months or more?

- (1) Yes
- (2) No

**IF H6C4= 1, THEN GO TO H6C5, ELSE GO TO H6D**

**H6C5** For how long have you smoked MENTHOL cigarettes?

READ CHOICES 1-4

- (1) All or nearly all the years you have smoked
- (2) Most of the years you have smoked
- (3) Half of the years you have smoked, OR -
- (4) Less than half the years you have smoked
  
- (5) IF VOLUNTEERED: LESS THAN ONE YEAR

**H6d** Now I would like to ask about HOW you went about completely quitting smoking. When you quit smoking completely, did you use ANY of the following PRODUCTS:

- (1) Yes
- (2) No

<b>H6d1</b>	A nicotine patch	<input type="checkbox"/>
<b>H6d2</b>	A nicotine gum or nicotine lozenge	<input type="checkbox"/>
<b>H6d3</b>	A nicotine nasal spray or nicotine inhaler	<input type="checkbox"/>

**H6dnum/unt** In total, how long did you use [fill with EACH H6d 1, 2, 3 = 1 (YES) OR IF all three are =1- YES, then fill with “ANY of these” ] during your last quit attempt when you stopped smoking completely

num [1-99]

\_\_\_|\_\_| **unt** [1= Days, 2= Weeks, 3= Months

**H6d7a** When you quit smoking completely, did you use ANY of the following PRODUCTS:

- (1) Yes
- (2) No

**H6d7a** A prescription pill, called Chantix or Varenicline ? \_\_\_|

**H6d7b** A prescription pill, called Zyban, Bupropion, or Wellbutrin? \_\_\_|

**H6d7c** Another prescription pill \_\_\_|  
IF H6d7c = YES, GO TO H6d7sp

**H6d7sp** --- Please specify the other prescription used: \_\_\_\_\_  
FR: ENTER A TEXT OF AT MOST 20 CHARACTERS

**H6d7dnum/unt** In total, how long did you use [fill with EACH H6d7a,b,c =1 (YES) OR IF ALL7a and 7b and 7c are =1- YES, then fill with “ANY of these prescription PILLS” ] during your last quit attempt when you stopped smoking completely?

\_\_\_|\_\_\_| **num** [1-99]  
\_\_\_|\_\_\_| **unt** [1= Days, 2= Weeks, 3= Months

**H6e1** When you quit smoking completely, did you use ANY of the following: [FR: FOR THIS QUESTION, RE-READ STEM PERIODICALLY]

- (1) Yes
- (2) No

- H6e1** \_\_\_| A telephone help line or quit line
- H6e2** \_\_\_| One-on-one counseling
- H6e3** \_\_\_| A stop smoking clinic, class, or support group
- H6e4** \_\_\_| Help or support from friends or family
- H6e5** \_\_\_| The Internet or a web-based program
- H6e6** \_\_\_| Books, pamphlets, videos, or other materials
- H6e7** \_\_\_| Acupuncture or hypnosis

[IF YES to H6e7, GO TO H6e7a; ELSE GO TO H6Fa1

**H6e7a** \_\_\_| ] Which: acupuncture or hypnosis or both?

(1) Acupuncture (2) Hypnosis (3) Both

**H6F** When you quit smoking completely, did you do ANY of the following: Please mention ALL methods, whether or not you think they were effective: [FR: FOR THIS QUESTION, RE-READ STEM PERIODICALLY]

(1) Yes

(2) No

**H6Fa1**  Try to quit by GRADUALLY cutting back on cigarettes?

**H6Fa2**  Try to quit by SWITCHING to smokeless tobacco such as chewing tobacco, snuff, or snus?

**H6Fa2b**  Try to quit by SWITCHING to regular cigars, cigarillos, little filtered cigars or pipes filled with tobacco?

**H6Fa3**  Did you SWITCH to a "lighter" cigarette in order to TRY TO QUIT?

**IF H6Ci = 2 (NON-MENTHOL), 3, DK, R OR H6C2 =2 (NON-MENTHOL), 3, DK, R, GO TO H6Fa3b; ELSE GO TO H6Fa3c.**

**H6Fa3b**  Did you SWITCH to menthol cigarettes in order to TRY TO QUIT?

**FR:** IF RESPONDENT SAYS THEY WERE ALREADY SMOKING MENTHOL CIGARETTES WHEN THEY TRIED TO QUIT-- THEN THE ANSWER IS "NO, THEY DIDN'T SWITCH TO TRY TO QUIT."

**IF H2Ci = 2 (NON-MENTHOL) OR H6C2 = 2 (NON-MENTHOL), THEN GO TO H6Fa4; ELSE GO TO H6Fa3c.**

**H6Fa3c**  Did you SWITCH to non-menthol cigarettes in order to TRY TO QUIT?

**FR:** IF RESPONDENT SAYS THEY WERE ALREADY SMOKING NON-MENTHOL CIGARETTES WHEN THEY TRIED TO QUIT-- THEN THE ANSWER IS "NO, THEY DIDN'T SWITCH TO TRY TO QUIT."

**H6Fa4**  Did you try to give up cigarettes all at once?

**IF H6Fa4 = 1 (YES), GO TO H6f1; ELSE GO TO H61a**

**H6f1** Please tell me which is true about when you completely quit smoking by giving up cigarettes all at once:

**READ THE 4 RESPONSE OPTIONS**

- (1) I tried to quit as soon as I made the decision.
- (2) I planned the quit for later the same day.
- (3) I planned the quit for a date in the future.

(4) I decided to quit after having NOT smoked for some other reason

**H6f2** When you completely stopped smoking by quitting ALL AT ONCE, would you say you QUIT “COLD TURKEY”?

(1) Yes

(2) No

**FR:** “COLD TURKEY” IS STOPPING ALL AT ONCE WITHOUT ANY AIDS

**H61a** In the 12 MONTHS BEFORE you COMPLETELY quit smoking, did you SEE a medical doctor?

(1) YES GO TO H61b

(2) NO GO TO H62a

DON'T KNOW OR REFUSED --- GO TO H62a

**H61b** During the 12 MONTHS BEFORE you completely quit smoking, did any medical doctor ADVISE you to stop smoking?

(1) YES GO TO H61c

(2) NO GO TO H62a

DON'T KNOW OR REFUSED GO TO H62a

**H61c1** In the 12 MONTHS BEFORE you quit smoking, when a medical doctor advised you to quit smoking, did the doctor also:

**H61c1** Suggest that you call or use a telephone help line or quit line?

**H61c2** Suggest that you use a smoking cessation class, program, or counseling?

**H61c3** Recommend or prescribe a nicotine product such as patch, gum, lozenge, nasal spray or inhaler?

**H61c4** Prescribe a pill such as Chantix, Varenicline, Zyban, Bupropion, or Wellbutrin?

**H61c5** Suggest that you set a specific date to stop smoking?

**GO TO H62a**

**H62a** In the 12 MONTHS BEFORE you COMPLETELY quit smoking, did you SEE a dentist?

- (1) YES **GO TO H62b**
- (2) NO **GO TO H8a**

[DON'T KNOW OR REFUSED **GO TO H8a** ]

**H62b** During the 12 MONTHS BEFORE you completely quit smoking, did any dentist ADVISE you to stop smoking?

- (1) YES **GO TO H62c**
- (2) NO **GO TO H8a**

[DON'T KNOW OR REFUSED **GO TO H8a**]

**H62c** In the 12 MONTHS BEFORE you quit smoking, when a dentist advised you to quit smoking, did the dentist also:

**H62c1**  Suggest that you call or use a telephone help line or quit line?

**H62c2**  Suggest that you use a smoking cessation class, program, or counseling?

**H62c3**  Recommend or Prescribe a nicotine product such as patch, gum, lozenge, nasal spray or inhaler?

**H62c4**  Prescribe a pill such as Chantix, Varenicline, Zyban, Bupropion, Wellbutrin?

**H62c5**  Suggest that you set a specific date to stop smoking?

**GO TO H8a**

**H8aNUM/UNT** During the 12 MONTHS before you quit smoking, how soon after you woke up did you typically smoke your first cigarette of the day?

(IF NECESSARY, ASK FOR BEST ANSWER IN MINUTES OR HOURS)  
ENTER (0) IF RESPONDENT INSISTS IT VARIES

**H8aNUM** ENTER NUMBER (1 – 90)  
|\_|\_|

**H8aUNT** ENTER UNIT REPORTED  
|\_| (1) Minutes (2) Hours

BOX 29

IF H8aNUM = 0, D, R ≡ GO TO H8b

**ELSE GO TO H8c**



**H8b** During the 12 months before you quit smoking, would you say you smoked your first cigarette of the day within the first 30 minutes of awakening?

- (1) Yes
- (2) No
- (3) Varies— DO NOT READ

**H8c** During the 12 months before you quit smoking did you sometimes awaken at night to have a cigarette?

- (1) Yes
- (2) No

**DO NOT READ**

- (3) DON'T SLEEP AT NIGHT
- (4) USE SOME OTHER TOBACCO PRODUCT WHEN I AWAKEN DURING THE NIGHT

**[GO TO Section J]**

**[The menthol questions are repeated again below for those who stopped smoking greater than 3 years ago from Box 26. ]**

**H11a** Thinking back to the 12 MONTHS BEFORE YOU COMPLETELY QUIT SMOKING CIGARETTES, During that time, DID YOU USUALLY SMOKE menthol or non-menthol cigarettes?

- (1) MENTHOL
- (2) NON-MENTHOL
- (3) NO USUAL TYPE

**[1, 2: GO TO H11b1]**

**[3, Don't Know OR Refused: GO TO H11c]**

**H11b1** For each of the following, please tell me whether it's a reason you usually smoked menthol/non-menthol { fill menthol if H11a = 1; fill non-menthol if H11a = 2 } cigarettes ? ----Please answer "yes "or "no" for each.

- (1) Yes
- (2) No

**H11b1**  They were less harmful than non-menthol /menthol { fill **non-menthol** if H11a = 1 ; fill **menthol** if H11a = 2 —**NOTE:** Opposite of the fill in the question stem H11b1} cigarettes.

**H11b2**  They had a better flavor than non-menthol /menthol { fill **non-menthol** if H11a= 1; fill **menthol** if H11a = 2—**NOTE:** *Opposite of the fill in the question stem H11b1*} cigarettes.

**H11b3**  They were less harsh on your **THROAT** than non-menthol /menthol { fill **non-menthol** if *H11a = 1*; fill **menthol** if H11a = 2—**NOTE:** *Opposite of the fill in the question stem H11b1*} cigarettes.

**H11b4**  They were less harsh on your **CHEST** than non-menthol/menthol { fill **non-menthol** if H11a = 1; fill **menthol** if H11a = 2 }—**NOTE:** Opposite of the fill in the question stem H11b} cigarettes.

**IF H11a = 1, GO TO H11d; ELSE IF H11a =2, 3, R, or DK, GO TO H11c**

**H11c Have you EVER smoked MENTHOL cigarettes for 6 months or more?**

- (1) Yes
- (2) No

**IF H11c= 1, THEN GO TO H11d; ELSE GO TO SECTION J**

**H11d For how long have you smoked MENTHOL cigarettes?**

READ CHOICES 1-4

- (1) All or nearly all the years you have smoked
- (2) Most of the years you have smoked
- (3) Half of the years you have smoked, OR –
- (4) Less than half the years you have smoked
  
- (5) IF VOLUNTEERED: LESS THAN ONE YEAR

**[SKIP TO SECTION J]**

## SECTION J. OTHER TOBACCO USE – ALL RESPONDENTS

**J** The next questions are about the use of tobacco other than in cigarettes.  
PRESS 1 TO CONTINUE

**J1a** (Have/Has) (you/name) EVER used any of the following EVEN ONE TIME?

- (1) Yes
- (2) No

**J1a1** A regular cigar or cigarillo (in Spanish use “medium size cigar” instead of the word “cigarillo”) OR a little filtered cigar?

**FR:** Regular cigars ARE DIFFERENT FROM little filtered cigars. THEY CAN BE large cigars, OR SMALLER IN SIZE SUCH AS cigarillos (IN SPANISH USE “medium size cigars” INSTEAD OF THE WORD “cigarillos” HERE.) THEY ARE USUALLY SOLD INDIVIDUALLY OR IN PACKS OF 5 OR 8. SOME COMMON BRANDS ARE BLACK AND MILD’S, SWISHER SWEETS CIGARILLOS, AND PHILLIES BLUNTS, BUT THERE ARE OTHERS.

**FR:** Little filtered cigars ARE DIFFERENT FROM regular cigars and cigarillos (in Spanish use “medium size cigars” instead of word “cigarillos” here). THEY RESEMBLE CIGARETTES IN SIZE, AND ARE OFTEN SOLD IN PACKS OF 20. THEY ARE USUALLY BROWN IN COLOR AND HAVE A SPONGY FILTER LIKE A CIGARETTE. SOME COMMON BRANDS ARE PRIME TIME LITTLE FILTER CIGARS AND WINCHESTER LITTLE FILTER CIGARS, BUT THERE ARE OTHERS.

**J1a2** A regular pipe filled with tobacco

**FR:** IF ASKED, “pipe smoking” ONLY INCLUDES PIPE TOBACCO. IT DOES NOT INCLUDE SMOKING HASHISH, MARIJUANA, CRACK, OR OTHER SUBSTANCES IN A PIPE. DO NOT INCLUDE WATER PIPES/HOOKAHS {who - kahs OR OTHER NAMES: SHISHA/NARGHILE/ARGILEH,OR HUBBLE-BUBBLE

**J1a3** A water pipe or hookah {pronounced: who-kah} pipe filled with tobacco?

**FR:** IF ASKED, “water pipe or hookah {who -kah} pipe smoking” ONLY INCLUDES PIPE TOBACCO. IT DOES NOT INCLUDE SMOKING HASHISH, MARIJUANA, CRACK, OR OTHER SUBSTANCES IN A PIPE. A WATER PIPE OR HOOKAH {who -kah} PIPE IS ALSO REFERRED TO AS A SHISHA, NARGHILE, ARGILEH OR HUBBLE-BUBBLE.

**The next question is about smokeless tobacco products which are used in the mouth --**

**J1a4** (Have/Has) (you/name) EVER used any of the following EVEN ONE TIME?

- (1) Yes
- (2) No

**J1a4 SMOKELESS tobacco, such as moist snuff, dip, spit, chew tobacco or snus.**

**FR:** Snuff or dip IS COMMONLY PLACED BETWEEN THE GUM AND LIP AND SOLD IN ROUND CANS IN --A LOOSE FORM OR A POUCH THAT LOOKS LIKE A SMALL TEA-BAG; COMMON BRANDS ARE SKOAL, COPENHAGEN AND GRIZZLEY BUT THERE ARE OTHERS.

Chewing or spit tobacco (ALSO TWIST, PLUG OR SCRAP) IS USUALLY PLACED IN THE SIDE OF THE MOUTH AND CHEWED AND OFTEN SOLD IN WALLET-SIZED POUCHES; COMMON BRANDS ARE REDMAN, LEVI- GARRET, AND BEECH-NUT, BUT THERE ARE OTHERS.

Snus IS A SPITLESS TOBACCO PRODUCT THAT MAY BE SOLD IN A TIN OR SLIDEPAK IN A LOOSE FORM OR IN SMALL TEABAG-LIKE POUCHES; COMMON BRANDS ARE CAMEL SNUS, MARLBORO SNUS, AND SKOAL SNUS.

BOX 31

IF ((J1a1 THROUGH J1a4 = NO, DK or R) AND:  
 IF PROXY RESPONDENT ≡GO TO S78  
 IF SELF RESPONDENT ≡GO TO BOX 34)  
 ELSE IF ANY J1a1, 2, 3, 4 = YES (1) GO TO J2a1-4 FOR THOSE PRODUCTS

BOX 32

ASK J2a FOR EACH YES ENTRY IN J1a1 THROUGH J1a4

**J2a/J2a1-4 (Do you/Does [name] NOW (smoke/use) [fill entry in J1a] every day, some days or not at all? [J1a1-4 entries: smoke regular cigars, or cigarillos or little filtered cigars.../ smoke a regular pipe filled with tobacco.../ use a water pipe or hookah pipe filled with tobacco.../use smokeless tobacco.... ]**

- (1) Every day
- (2) Some days
- (3) Not at all

**IF (J2a2 = 1 OR 2) AND (J2a3 = 1 OR 2), THEN ASK J2a3v. ELSE GO TO BOX 33.**

**J2a3v Do you currently smoke BOTH regular pipes AND water pipes or hookah {who-kah} pipes?**

(1) YES

(2) NO- GO TO J2a2 and J2a3 to correct and then proceed to BOX 33

|\_|

## GO TO BOX 33

BOX 33	
IF J2a = 1 OR 3:	
IF PROXY:	IF LAST ENTRY FROM <b>J1a</b> -> GO TO <b>S78</b> ELSE REPEAT J2a FOR NEXT YES ENTRY IN J1a1 - 4
IF J2a=1:	
IF SELF:	IF J2a4 (SMOKELESS) IS 1 (EVERY DAY) AND LAST ENTRY FROM J1a -> GO TO <b>Ja</b> ELSE IF J2a1 (CIGARS) IS 1 (EVERY DAY) AND LAST ENTRY FROM J1a -> GO TO <b>Jb</b>
	ELSE LAST YES ENTRY FROM J1a1-4 -> GO TO <b>Jd</b>
	ELSE REPEAT J2a FOR NEXT YES ENTRY IN J1a1-4
IF J2a=3:	
IF SELF:	IF LAST ENTRY FROM <b>J1a</b> -> GO TO <b>Jd</b> ELSE REPEAT J2a FOR NEXT YES ENTRY IN J1a1 - 4
FOR EACH ENTRY J2a1-4 =3 (NOT AT ALL), ASK HOW LONG HAS IT BEEN SINCE YOU COMPLETELY STOPPED SMOKING // USING CIGARS / PIPES // SMOKELESS TOBACCO->Q <b>Jd1/2</b>	
IF J2a = 2: (Someday Smokers)	
IF PROXY:	IF LAST YES ENTRY FROM J1a 1-4 ->GO TO <b>S78</b> ELSE REPEAT J2a FOR NEXT YES ENTRY IN J1a1 -4
IF SELF:	->GO TO <b>J2b</b>
IF J2a= DK/REF (-2 or -3):GO BACK TO J2a for next item (ie. pipes, etc.)	
IF J2a= DK/REF (-2 or -3) AND IF LAST ENTRY FROM J1a1-4 -> GO TO <b>BOX 34</b>	

**J2b/J2b1-4 On how many of the past 30 days did you (smoke/use) [fill entry J1a1-4]?**  
[ASK SEPARATELY FOR EACH "YES" ENTRY IN J1a WITH J2a = 2]

ENTER NUMBER OF DAYS

ENTER (0) FOR NONE

(0-30)

|\_|\_| IF [entry in J2b = 0 OR 30] =GO TO J2b1-4v; ELSE AFTER OBTAINING ALL  
RELEVANT RESPONSES TO THIS QUESTION, IF SMOKELESS CURRENT USE =GO TO Ja;  
ELSE IF CIGAR CURRENT USE =GO TO Jb,

**J2b1-4v** You said that you (smoked/used) [fill entry J1a] some days. Is that correct?  
[ASK SEPARATELY FOR EACH “YES” ENTRY IN J1a WITH J2b = X (0) OR 30]

- (1) Yes
- (2) No [GO TO RELEVANT J2a1-4 AND CORRECT]

□□

NOTE: THE J2a, J2b, and J2bv (as needed) SERIES IS REPEATED FOR EACH YES ENTRY IN J1a1-4 AS APPROPRIATE

AFTER OBTAINING ALL RELEVANT RESPONSES TO THIS QUESTION, IF SMOKELESS CURRENT USE →GO TO **Ja**; ELSE IF CIGAR CURRENT USE →GO TO **Jb**,

**Ja** During the PAST 30 days, what BRAND of smokeless tobacco [IF necessary: moist snuff, dip, spit, chew or snus] did you use MOST OFTEN?

**Allow for filling in coded brand name or code number OR ENTER Brand NAME by clicking on it—**

**Ja** □□□ (1-22)

**IF BRAND IS NOT ON THE LIST, ENTER “22” for OTHER in Ja.**

**THE UNREAD CODES FOR INTERVIEWER ENTRY ARE:**

- 1 BEECH-NUT
- 2 CAMEL SNUS
- 3 COPE
- 4 COPENHAGEN
- 5 COUGAR
- 6 GRIZZLY
- 7 HAWKEN
- 8 HUSKY
- 9 KAYAK
- 10 KODIAK
- 11 LEVI GARRETT
- 12 LONGHORN
- 13 MARLBORO SNUS
- 14 RED MAN
- 15 RED SEAL
- 16 ROOSTER
- 17 SILVER CREEK
- 18 SKOAL
- 19 SKOAL SNUS
- 20 TAYLOR'S PRIDE
- 21 TIMBER WOLF
- 22 OTHER

[NOTE: THESE brands are 96% of the market share]

IF Ja = 22, GO TO Jasp; ELSE IF J2a1 = 1 or 2 GO TO Jb--- [ If “cigars” are NOW smoked every day or some days, ask Jb and Jc ]—ELSE GO TO Jd3.

Jasp Please specify the other brand: \_\_\_\_\_ FR: ENTER A TEXT OF AT MOST 20 CHARACTERS.

IF J2a1 = 1 or 2, GO TO Jb--- [ If “cigars” are NOW smoked every day or some days, ask Jb and Jc ]—ELSE GO TO Jd3

**Jb During the PAST 30 days, what type of CIGAR did you use MOST OFTEN?**

READ the 3 CHOICES

- (1) Regular/large cigars
- (2) “Cigarillos” ( in Spanish use “medium size cigars” instead of the word “cigarillos here”)
- (3) Little filtered cigars

□

**Jc During the PAST 30 days, what BRAND of CIGAR did you smoke MOST OFTEN?**

\_\_\_ ENTER CODE FOR BRAND (1-15). ENTER 15 for OTHER BRAND NOT ON THE LIST

**NOTE: List of major brands for coding SEE BELOW. IF indicates “ need to prompt with Follow-Up question Jcpro,” ask Jcpro after asking main question Jc. Follow-up prompt appears for certain brands that produce regular and little cigars.**

**THE UNREAD CODES FOR INTERVIEWER ENTRY ARE:**

- 1 Al Capone(makes regular and little/small cigars== **prompt**)
- 2 Backwoods (regular only)
- 3 Black & Milds (makes regular and *cigarillo*-medium size cigars (in Spanish use “medium size cigars “ instead of the word “cigarillo” here) with plastic hard filters) ==**prompt**)
- 4 Captain Black (little only)
- 5 Dutch Masters (regular/large cigar)
- 6 Dutch Treats (little cigar)
- 7 Erik (little only)
- 8 Hav-a-tampa (makes regular and little/small cigars== **prompt**)
- 9 King Edward(makes regular and little/small cigars== **prompt**)
- 10 Muriel (makes regular and little/small cigars== **prompt**)
- 11 Phillies (makes regular and little/small cigars== **prompt**)
- 12 Prime Time (little only)

- 13 Smoker's Choice (little only)
- 14 Swisher Sweet\* (makes regular and little/small cigars== prompt)
- 15 Other (prompt )

**Jcpro—Is that a regular or little cigar? Little cigars are cigarette size with a filter.**

- (1) Regular cigar
- (2) Little/small cigars

UNREAD codes:

- (3) None of the above;
  - (4) None than one of the above;
- DK; R

**Jcflavr— During the past 30 days, did you USUALLY smoke flavored cigars? By flavored we mean fruit, candy, alcohol, clove or any other flavorings.**

- (1) Yes
- (2) No

**Jd**

**FOR EACH ENTRY J2a1-4 = 3 (NOT AT ALL), GO TO Jd1/2\_1-4; ELSE GO TO Jd3.**

**Jd1/2\_1-4 About how long has it been since you COMPLETELY quit smoking//using --cigars, cigarillos, or little filtered cigars /a regular pipe filled with tobacco / a water pipe or hookah {who-kah} pipe filled with tobacco //smokeless tobacco?**

Jd11/2/3 /4 || NUMBER (1-99)

Jd2 1/2/3 /4  UNITS

- (1) Days
- (2) Weeks
- (3) Months
- (4) Years

**Jd3 ASK Jd3 SEPARATELY FOR EACH J1a1-4 = 1 (YES):**

**Jd3 In total, how many years did you smoke //use – cigars or cigarillos or little filtered cigars / a regular pipe / a water pipe or hookah pipe filled with tobacco / smokeless tobacco (fill as appropriate from J1a1-4)?**

If product was only used once or twice, DO NOT ASK this question and ENTER 0 for “Less than one year”. \*

ENTER 0 FOR LESS THAN ONE YEAR



Jd31, 2,3,4 | | | (0-99) years

\* For August 2010 and January 2011- this instruction was added.

**BOX 34**

FOR PROXY RESPONDENT->GO TO **S78**

FOR SELF RESPONDENT:

IF CURRENT SMOKER OF CIGARETTES (A3=1 OR 2) → GO TO **SECTION JJ**

ELSE IF J1a1-4 = NO OR J2a = DK/Refused OR ANY COMBINATION OF THESE THREE STIPULATIONS FOR ALL FOUR "OTHER" TOBACCO PRODUCTS FOR ALL ENTRIES →GO TO **SECTION JJ**

**Other tobacco time to first use:**

**BOX 39**

**IF ONLY ONE PRODUCT MENTIONED IN J2a IS NOW USED "EVERY DAY" OR "SOME DAYS [J2a@1-4 =1 OR 2], THAT PRODUCT IS USED FOR J3a.**

If J2A1=1 or 2 fill with 'smoke your first cigar'  
If J2A2-3=1 or 2 fill with 'smoke your first pipe'  
If J2A4=1 or 2 fill with 'use smokeless tobacco'

**ELSE IF > 1 PRODUCT MENTIONED IN J2a IS NOW USED "EVERY DAY" OR "SOME DAYS [J2a@1-4=1 OR 2] FILL J3a WITH THOSE PRODUCTS," LIST ALL PRODUCTS NOW USED.**

If J2A1=1 or 2 and J2A2-3=1 or 2  
fill with 'smoke your first cigar or pipe'  
Else If J2A1=1 or 2 and J2A4=1 or 2  
fill with 'smoke your first cigar or use smokeless tobacco'  
Else If J2A2-3=1 or 2 and J2A4=1 or 2  
fill with 'smoke your first pipe or use smokeless tobacco'  
Else If J2A1, AND J2A2 OR J2A3 And J2A4 =1 or 2,  
fill with 'smoke your first cigar, pipe, or use smokeless tobacco.'

**ELSE IF [(J2a=3 OR J1a = 2) FOR ALL J1a1- 4] AND [Jd1/2 LESS**

**THAN OR EQUAL TO 1 YEAR, 12 MONTHS, 52 WEEKS, 99 DAYS (i.e., 1 YEAR EQUIVALENCE) FOR ONLY ONE “OTHER TOBACCO PRODUCT” J1a1, 2, OR 4] AND [ ( IF A3 =3 AND H1NUM/UNT > 1 YEAR, 12 MOS., 52 WEEKS, OR EQUIVALENCE) OR (IF A1=2) ] THEN GO TO J3f.**

**J3a How soon after you wake up do you typically [FILL WITH APPROPRIATE STEM AND ENDING BASED ON RESPONSES TO J2A1-4—SEE BOX 39 ABOVE]?**

**(IF NECESSARY, FR ASK FOR BEST ANSWER IN MINUTES OR HOURS)  
ENTER (0) in J3a1 IF RESPONDENT INSISTS IT VARIES**

**J3a1 ENTER NUMBER (0 - 90)**

**J3a2 ENTER UNIT REPORTED**

(1) Minutes (2) Hours

**IF J3a = 0, D, or R, THEN GO TO J3d; ELSE GO TO J3e**

**J3d Would you say you first .. [FILL WITH APPROPRIATE STEM AND ENDING BASED ON RESPONSES IN J2A1-4 SIMILAR TO J3A....smoke a cigar/ pipe// use smokeless tobacco// smoke a cigar or pipe //smoke a cigar or use smokeless tobacco// smoke a pipe or use smokeless tobacco// smoke a cigar, pipe or use smokeless tobacco]... within the first 30 minutes of awakening?**

(1) Yes

(2) No

(3) Varies— **DO NOT READ**

**J3e Do you sometimes awaken during the night to use tobacco?**

(1)Yes

(2)No

(3)Don't sleep at night (UNREAD)

**GO TO BOX 39A**

**J3f1/2 In the 12 months BEFORE YOU COMPLETELY QUIT smoking (...cigars/pipes..// using smokeless tobacco), how soon after you woke up did you typically [fill with appropriate stem and ending based on responses to J2a1, 2, 4] smoke your first cigar ../ pipe -// - use smokeless tobacco?**

(IF NECESSARY, FR ASK FOR BEST ANSWER IN MINUTES OR HOURS)  
ENTER (0) in J3f1 IF RESPONDENT INSISTS IT VARIES

**J3f1 ENTER NUMBER (0 - 90)**

**J3f2 ENTER UNIT REPORTED**

(1) Minutes (2) Hours

**IF J3f1 = 0, D or R, THEN GO TO J3g; ELSE GO TO J3h**

**J3g Would you say you first used cigars/ pipes/ smokeless tobacco// within the first 30 minutes of awakening?**

(1) Yes

(2) No

(3) Varies— **DO NOT READ**

**J3h During the 12 months BEFORE YOU COMPLETELY QUIT smoking ...cigars/pipes...// using smokeless tobacco, DID you sometimes awaken at night to use tobacco?**

(1)Yes

(2)No

**DO NOT READ**

**(3)DON'T SLEEP AT NIGHT**

**(4)USE SOME OTHER TOBACCO PRODUCT WHEN AWAKEN DURING THE NIGHT**

**BOX 39A**

**IF A3 = 1 OR 2 (CURRENT CIGARETTE SMOKER) GO TO SECTION JJ- DO NOT ASK J4-J7**

ELSE IF J2a3 = 1 OR 2, THEN GO TO **SECTION JJ** (DO NOT ASK J4 – J7 FOR WATER PIPES (HOOKAHS))

ELSE IF **ONLY ONE PRODUCT** MENTIONED IN J2a (J2a 1, 2 ,4) IS NOW USED “EVERY DAY” OR “SOME DAYS LESS THAN OR EQUAL TO 12 DAYS” [J2a =1 OR (J2a =2 AND J2b ≥ 12 days)], THAT PRODUCT IS USED FOR J4-J7—GO TO **J4**

ELSE IF > 1 PRODUCT MENTIONED IN J2a [J2a =1 OR J2a =2 ], GO TO SECTION JJ

ELSE IF [(J2a=3 OR J1a = 2) FOR ALL J1a1,2,4] AND [Jd1/2 LESS THAN OR EQUAL TO 1 YEAR, 12 MONTHS, 52 WEEKS, 99 DAYS (i.e., 1 YEAR EQUIVALENCE) FOR ONLY ONE “OTHER TOBACCO PRODUCT” J1a1,2,OR 4] AND [ (IF A3 =3 AND H1NUM/UNT > 1 YEAR, 12 MOS., 52 WEEKS, OR OTHER EQUIVALENCE) OR (IF A1=2) ] THEN GO TO J7a.

ELSE -> GO TO SECTION JJ

**J4** During the PAST 12 MONTHS, have you stopped smoking // using [fill entry based on BOX 39A—cigars / pipes // smokeless tobacco] for one day or longer BECAUSE YOU WERE TRYING TO QUIT?

- (1) Yes → GO TO J5  
(2) No → GO TO SECTION JJ  
IF J4 = D, R → GO TO SECTION JJ

**J5** The LAST TIME you stopped smoking // using [fill entry same as for J4 fill—cigars / pipes // smokeless tobacco] in the Past 12 Months BECAUSE YOU WERE TRYING TO QUIT, how long did you stop for?

**J5num** ENTER NUMBER (1 - 99)

□□

**J5unt** ENTER UNIT REPORTED

- (1) Days  
(2) Weeks  
(3) Months

□ IF (J5unt = 2 AND J5num >18) OR (J5num >12 AND J5unt = 3) → GO TO J5v; D or R → GO TO J7a; ELSE → GO TO J6a

**J5v** I have recorded that the LAST TIME you stopped smoking//using [fill entry same as J4 fill-- cigars/ pipes// smokeless tobacco] in the past 12 months because you were TRYING to quit was [fill entry J5num/J5unt]? Is that correct?

- (1) Yes  
(2) No → GO TO J5num/Junt TO CORRECT

□

**J6a** Was [fill entry J5num/unt] the LONGEST you went without smoking//using [fill entry same as J4 fill- cigars/ pipes// smokeless tobacco] in the past 12 months?

- (1) Yes → GO TO J7a1
- (2) No

**J 6b** During the past 12 MONTHS, what is the LONGEST length of time you stopped smoking//using [fill entry same as J4 fill-- cigars/ pipes// smokeless tobacco] because you were TRYING to quit?

**J6bnum** ENTER NUMBER (1 -96)

**J6bunt** ENTER UNIT REPORTED

- (1) Days
- (2) Weeks
- (3) Months

IF (J6num >18 AND J6bunt = 2) OR (J6bnum >12 AND J6bunt = 3) → GO TO J6bv; ELSE → GO TO J7a1

**J6bv** I have recorded that the LONGEST length of time you stopped smoking//using [fill entry same fill as J4—cigars/ pipes// smokeless tobacco] in the past 12 months because you were TRYING to quit was [fill entry J6bnum/J6bunt]? Is that correct?

- (1) Yes
- (2) No → GO TO J6bnum/unt TO CORRECT

**J7a--** For J7a – J7c-- Use alternative wording for those who met criteria in BOX 39A for recent former users of one “other tobacco product : ELSE IF [(J2a=3 OR J1a = 2) FOR ALL J1a1- 4] AND [Jd1/2 LESS THAN OR EQUAL TO 1 YEAR, 12 MONTHS, 52 WEEKS, 99DAYS (i.e., 1 YEAR EQUIVALENCE) FOR ONLY ONE “OTHER TOBACCO PRODUCT” J1a1, 2, OR 4] AND [ ( IF A3 =3 AND H1NUM/UNT > 1 YEAR, 12 MOS., 52 WEEKS, OR EQUIVALENCE) OR (IF A1=2, D, R) ] THEN GO TO J7a.)

**Alternative wording:** J7a-c “Now I would like to ask about HOW you went about completely quitting smoking...cigars/ pipes //using smokeless tobacco. When you COMPLETELY quit smoking cigars/pipes // using smokeless tobacco, did you use ANY of the following PRODUCTS?—For 7b and 7c alternative wording is: “When you COMPLETELY quit smoking cigars/pipes // using smokeless tobacco, did.....?”

**J 7a Thinking back about the last time you tried to quit [fill entry Box 39A—smoking cigars/ smoking pipes/ using smokeless tobacco] in the past 12 months .....// SUBSTITUTE ALTERNATIVE WORDING FOR RECENT FORMER USER OF OTHER TOBACCO PRODUCT-- CRITERIA FROM BOX 39A/ BOX J7a-- above//.....:**

**Did you use any of the following PRODUCTS:**

- (1) Yes
- (2) No

**J7a1**                    **A nicotine patch**                   

**J7a2**                    **A nicotine gum or lozenge**                   

**J7a3**                    **A nicotine nasal spray or inhaler**                   

**J7a7a** **A prescription pill called Chantix or Varenicline?**                   

**J7a7b** **A prescription pill, called Zyban, Bupropion, or Wellbutrin?**                   

**J7a7c** **Another prescription pill ?**                   

**IF YES TO J7a7c (J7a7c=1) GO TO J7aspc**

**J7aspc -- Specify other pill: \_\_\_\_\_ FR: ENTER  
TEXT OF AT MOST 40 CHARACTERS**

**J7b1 The LAST TIME you tried to quit [fill entry Box 39A/J7a—smoking cigars/ smoking pipes/using smokeless tobacco], did you use ANY of the following://USE ALTERNATIVE WORDING FOR RECENT FORMER USER OF OTHER TOBACCO PRODUCT//:**

**[FR NOTE: FOR THIS QUESTION, RE-READ STEM PERIODICALLY]**

- (1) Yes
- (2) No

**J7b1**  **A telephone help line or quit line?**

**J7b2**  **One-on-one counseling?**

**J7b3**  **A stop smoking clinic, class, or support group?**

**J7b4**  **Help or support from friends or family?**

**J7b5**  **The Internet or web-based program?**

**J7b6**  **Books, pamphlets, videos, or other materials?**

**J7b6**  **Acupuncture or hypnosis?**

**IF J7b6b = 1 (YES), THEN GO TO J7b6c; ELSE GO TO Jb7.**

**J7b6c**  **Which one? (1) Acupuncture (2) Hypnosis (3) Both**

**J7b7**  **Advice from a medical doctor, dentist or other health professional?**

**IF J7b7 = 1 (YES), THEN GO TO J7b7a; ELSE GO TO J7c.**

**J7b7a**  **Which ?-** (1) Doctor (2) Dentist (3) Other health professional (4) More than one of the previous choices

**FR:** SPECIFY DOCTOR, DENTIST, OTHER BY ENTERING THE APPROPRIATE CHOICES (1-4)

**J7c** **The LAST TIME you tried to QUIT** (fill entry Box 39A/J7a—**smoking cigars /smoking pipes/using smokeless tobacco**) **in the past 12 months//, did you do ANY of the following: // USE ALTERNATIVE WORDING FOR RECENT FORMER USER OF OTHER TOBACCO PRODUCT//:**

- (1) Yes
- (2) No

**J7c1**  **Stopping by gradually cutting back on** (fill entry Box 39A/J7a) ... **smoking cigars/smoking pipes/using smokeless tobacco.... in order to TRY TO QUIT?**

**J7c2**  **Did you TRY GIVING IT UP ALL AT ONCE?**

**IF YES TO J7c2, ask J7c2a; ELSE GO TO SECTION JJ**

**J7c2a** **Would you say you TRIED TO QUIT “cold turkey?”**

**FR: “COLD TURKEY” IS STOPPING ALL AT ONCE WITHOUT ANY AIDS**

- (1) Yes
- (2) No

---

**SECTION JJ**

---

(ASK ALL CURRENT CIGARETTE SMOKERS, OR CURRENT USERS OF OTHER TOBACCO PRODUCTS, OR--- RECENT FORMER USERS OF ANY TOBACCO PRODUCT (CIGARETTES OR OTHER TOBACCO PRODUCTS)-- WHO STOPPED USING THAT PRODUCT WITHIN THE LAST THREE YEARS (H1NUM/UNT OR Jd1/2\_1-4 <equal 3 years, 36months, 99 weeks, or 99 days) –

**JJ1 Tobacco companies are developing new smokeless tobacco products, in various shapes, such as a pellet, a toothpick size stick, and a film strip, made from finely ground flavored tobacco that dissolves. Some common brands are Camel Orbs, Strips and Sticks.**

**JJ1 Have you tried any new smokeless tobacco products?**

- (1) Yes
- (2) No

IF YES TO JJ1, ASK JJ2; ELSE GO TO Section K

**JJ2 What did you try?**

ENTER ALL PRODUCTS MENTIONED SEPARATED BY COMMAS.. ENTER A TEXT OF AT MOST 60 CHARACTERS.

---

**GO TO SECTION K**



**SECTION K. WORKPLACE POLICY, HOME RULES, PUBLIC OPINION ABOUT SMOKING  
IN PUBLIC VENUES**

**- ALL RESPONDENTS**

<p><b>BOX41 -- CONTEXT FOR K1- K3 SERIES: IF NOT RETIRED <u>AND</u> HAVE BEEN WORKING FOR PAY OR EMPLOYED IN PAST WEEK <u>AND</u> ARE NOT SELF-EMPLOYED:</b></p>
--

**K1a The next questions are about your place of work.**

**[FR NOTE: IF RESPONDENT HAS MORE THAN 1 JOB, HAVE THEM ANSWER FOR  
THEIR MAIN JOB.]**

**K1a. Do you mainly work indoors or outdoors?**

**[FR NOTE: DO NOT READ THE FIRST 2 CATEGORIES UNLESS NECESSARY.  
NEVER READ THE REMAINING CATEGORIES.]**

(1) Indoors [SKIP TO K1b]

(2) Outdoors [SKIP TO K3d]

(3) About equally indoors and outdoors [**SKIP TO K1b2**]

(4) Works mainly indoors in a non-traditional environment such as warehouse or other similar large semi-structured area --[**SKIP TO K1b1**]

(5) Mainly travel around to different clients or sites or mainly in a motor vehicle/bus/train/boat/airplane/underground/in a mine, etc. [SKIP TO K3d]

(6) Varies [**SKIP TO K3d**]

□

**K1b Do you mainly work in an office building, in your own home, in someone else's home, or in another indoor place?**

(1) Office building [**SKIP TO K1b1**]

(2) Own home [**SKIP TO K4**]

(3) Someone else's home [**SKIP TO K4**]

(4) Another indoor place [**SKIP TO K1b1**]

DON'T KNOW OR REFUSED [**SKIP TO K1b1**]

**K1b1 In which State (including DC) do you work?**

\_\_\_\_

**FR: ENTER 2 LETTER ABBREVIATION FOR THE STATE.  
GO TO K2a**

**K1b2. When you work INDOORS: Do you mainly work in an office building, in your own home, in someone else's home, or in another indoor place?**

- (1) Office building [SKIP TO K1c]
- (2) Own home [SKIP TO K4]
- (3) Someone else's home [SKIP TO K4]
- (4) Another indoor place [SKIP TO K1c]

DON'T KNOW OR REFUSED [SKIP TO K1c]

**K1c In which State (including DC) do you work on your main indoor job or business?**

\_\_\_\_ ENTER 2 LETTER STATE ABBREVIATION

**K2a. Is smoking restricted in ANY WAY at your place of work?**

[READ IF NECESSARY]: "By 'restricted', we mean any limitation on smoking, regardless of who is responsible for that restriction (including owner, employer, gov't, union, etc.)."

- (1) YES
- (2) NO [SKIP TO K3c]

DON'T KNOW OR REFUSED [SKIP TO K3c]

\_\_\_\_

**K3a Which of these best describes the smoking policy at your place of work for INDOOR PUBLIC OR COMMON AREAS, such as lobbies, rest rooms, and lunch rooms?**

READ THE FIRST 3 ANSWER CATEGORIES ONLY

- (1) Not allowed in ANY public areas
- (2) Allowed in SOME public areas
- (3) Allowed in ALL public areas

ENTER (4) IF NOT APPLICABLE

\_\_\_\_

**K3b Which of these best describes the smoking policy at your place of work for INDOOR WORK AREAS?**

READ THE FIRST 3 ANSWER CATEGORIES ONLY

- (1) Not allowed in ANY work areas
- (2) Allowed in SOME work areas
- (3) Allowed in ALL work areas

ENTER (4) IF NOT APPLICABLE

**K3c** During the PAST TWO WEEKS, has anyone smoked in the area in which you work?

(1) YES

(2) NO

**K3d** Within the PAST 12 MONTHS, has your employer offered any stop smoking program or any other help to employees who want to quit smoking?

(1) YES

(2) NO

**K4** The final set of questions are about your home and other places.

**K4** Which statement best describes the rules about smoking **INSIDE YOUR HOME**?

[READ IF NECESSARY]: "HOME" IS WHERE YOU LIVE. "RULES" INCLUDE ANY UNWRITTEN "RULES" AND PERTAIN TO ALL PEOPLE WHETHER OR NOT THEY RESIDE IN THE HOME OR ARE VISITORS, WORKMEN, ETC.

(1) No one is allowed to smoke anywhere **INSIDE YOUR HOME**

(2) Smoking is allowed in some places or at some times **INSIDE YOUR HOME**

(3) Smoking is permitted anywhere **INSIDE YOUR HOME**

**K6c** In bars, cocktail lounges, and clubs, do you **THINK** that smoking **SHOULD** be allowed in all areas, allowed in some areas, or not allowed at all?

(1) Allowed in all areas

(2) Allowed in some areas

(3) Not allowed at all

**K6f** On outdoor children's playgrounds and outdoor children's sports fields, do you **THINK** that smoking **SHOULD** be allowed in all areas, allowed in some areas, or not allowed at all?

- (1) Allowed in all areas
- (2) Allowed in some areas
- (3) Not allowed at all

□

**K6g Inside casinos, do you THINK that smoking SHOULD be allowed in all areas, allowed in some areas, or not allowed at all?**

- (1) Allowed in all areas
- (2) Allowed in some areas
- (3) Not allowed at all

□

**K6h Inside a car, when there are other people present, do you THINK that smoking SHOULD...**

- (1) Always be allowed, **GO TO K6h2**
- (2) Be allowed under some conditions, or **GO TO K6h2**
- (3) Never be allowed? **GO TO K7 IF B2=1 OR C2=1 (MENTHOL SMOKER); ELSE GO TO KStresh**

**DON'T KNOW OR REFUSED GO TO K6h2**

**K6h2 IF children are present inside the car, do you think that smoking SHOULD...**

- (1) Always be allowed,
- (2) Be allowed under some conditions, or
- (3) Never be allowed?

**Ask K7 if B2=1 OR C2 = 1 (menthol smoker); ELSE GO TO KSTRESH.**

**K7 If menthol cigarettes were no longer sold, which of the following would you MOST LIKELY do:**

- (1) Switch to non-menthol cigarettes
- (2) Switch to some other tobacco product; or
- (3) Quit smoking and not use any other tobacco product

**DO NOT READ CATEGORY #4.**

- (4) NONE OF THE ABOVE

□

**KStresh—STATE of Residence When Born for ALL Respondents**

**KStresh:** In what state or country were you born?

IF THE PERSON WAS BORN IN ONE OF THE 50 STATES OF THE UNITED STATES (OR DC) ENTER WHICH STATE, IF THE PERSON WAS NOT BORN IN THE UNITED STATES ENTER A COUNTRY.

**FR:** SPELL OUT THE STATE OR COUNTRY NAME. ENTER A TEXT OF AT MOST 40 CHARACTERS

---

(GO TO SINTTP)

**STATE of Residence When Born-- for ALL PROXY Respondents**

**KStresh:** - In what state or country was \_\_\_\_\_ (Respondent's name for which the PROXY is responding) born?

**FR:** IF THE RESPONDENT WAS BORN IN ONE OF THE 50 STATES OF THE UNITED STATES (OR DC) ENTER WHICH STATE, IF THE PERSON WAS NOT BORN IN THE UNITED STATES ENTER A COUNTRY.

SPELL OUT THE STATE OR COUNTRY NAME. ENTER A TEXT OF AT MOST 40 CHARACTERS.

---

**SINTTP** \*\*\* DO NOT READ \*\*\*

In what language was the interview conducted for this person?

- (1) English
- (2) Spanish
- (3) Chinese
- (4) Korean
- (5) Vietnamese
- (6) Thai -Khmer
- (7) Other Asian or Asian unspecified
- (8) Other

□

|